



Data Sheet

Customer: _____

Part No: CL-SF685UV-400-02

Sample No: _____

Description:

Item No: _____

Customer			
Check	Inspection	Approval	Date

Approval	Audit	Confirmation	Approval	Audit	Confirmation
<input type="checkbox"/> Qualified <input type="checkbox"/> Disqualified			DATE: 2019.4.27		

Features


- PLCC-2 Package.
- Extremely wide viewing angle.
- Suitable for all SMT assembly and solder process.
- Available on tape and reel.



Applications

- Optical indicator
- Indoor display
- Automotive lighting
- Backlight for LCD, switch and Symbol, display

Package Dimensions



Notes:

1. All dimension units are millimeters.
2. All dimension tolerance is $\pm 0.15\text{mm}$ unless otherwise noted.

Selection Guide

Part No.	Dice	Lens Type	Luminous intensity(MCD) @ 20mA	Viewing Angle

			Min	Typ	2 θ 1/2
CL-SF685UV-400-02	UV	Water Clear	30	100	120°

Note:

1. 2 θ 1/2 is the angle from optical centerline where the luminous intensity is 1/2 the optical centerline value.

2. The above luminous intensity measurement allowance tolerance is $\pm 10\%$.

Electrical / Optical Characteristics at Ta=25°C

Parameter	Symbol	Min.	Typ.	Max.	Units	Test Conditions
Forward Voltage	VF	3.0	---	3.4	V	IF=20mA
Reverse Current	IR	---	---	10	μ A	VR = 5V
Dominate Wavelength	λ_d	---	400	---	nm	IF=20mA

Absolute Maximum Ratings at Ta=25°C



Parameter	Symbol	Rating	Units
Power Dissipation	Pd	100	mW
Forward Current	IF	150	mA
Peak Forward Current [1]	IFP	100	mA
Reverse Voltage	VR	5	V





Electrostatic Discharge (HBM)	ESD	8000	V
Operating Temperature	Topr	-40 ~ +85	°C
Storage Temperature	Tstg	-40 ~ +100	°C

Note.

- 1/10 Duty cycle, 0.1ms pulse width.
2. The above forward voltage measurement allowance tolerance is $\pm 0.1V$.
3. The above dominate wavelength measurement allowance tolerance is $\pm 1nm$.

Typical optical characteristics curves

Ambient Temperature vs. Forward Current		Forward Current VS. Relative Intensity	
Forward Current(mA)		Relative luminous Intensity	
	Soldering Temperrature °C		Forward Current(mA)
Forward Voltage VS. Forward Current		Ambient Temperature VS. Relative Intensity	

Forward Current(mA)		Relative luminous Intensity	
	Forward Voltage(V)		Ambient Temperature ta °C
Relative spectral emission		Radiation diagram	
Relative luminousintensity			
	Wavelength(nm)		SPATIA DISTRIBUTION

Reliability Test Items And Conditions

Test Items	Ref. Standard	Test Condition	Time	Quantity	Ac/Re
Reflow	JESD22-B106	Temp:260℃max T=10 sec	3 times.	22Pcs.	0/1
Temperature Cycle	JESD22-A104	100℃±5℃ min.	30 100 Cycles	22Pcs.	0/1

		$\uparrow\downarrow 5 \text{ min}$ $-40^\circ\text{C} \pm 5^\circ\text{C}$ 30 min.			
High Temperature	JESD22-A103	Temp: $100^\circ\text{C} \pm 5^\circ\text{C}$	1000Hrs.	22Pcs.	0/1
Low Temperature Storag	JESD22-A119	Temp: $-40^\circ\text{C} \pm 5^\circ\text{C}$	1000Hrs.	22Pcs.	0/1
Life Test	JESD22-A108	$T_a = 25^\circ\text{C} \pm 5^\circ\text{C}$ $I_F = 20\text{mA}$	1000Hrs.	22Pcs.	0/1
High Temperature High Humidity Life Tes	JESD22-A101	$85^\circ\text{C} \pm 5^\circ\text{C} / 85\%\text{RH}$ $I_F = 100\text{mA}$	1000Hrs.	22Pcs.	0/1

Failure Criteria


Test Items	Symbol	Test Condition	Failure Criteria	
			Min.	Max.
Forward Voltage	V_F	$I_F = 20\text{mA}$	--	U.S.L*)x1.1
Reverse Current	I_R	$V_R = 5\text{V}$	--	U.S.L*)x2.0
Luminous Flux	lm	$I_F = 20\text{mA}$	L.S.L*)x0.7	--

U.S.L: Upper Specification Limit

L.S.L: Lower Specification Limit

*The technical information shown in the data sheets is limited to the typical characteristics and circuit examples of the referenced products . It does not constitute the warranting of industrial property nor the granting of any license.

SMT Reflow Soldering Instructions



1.Reflow soldering should not be done more than two times.

2.When soldering , do not put stress on the LEDs during heating


Soldering iron

1.When hand soldering, keep the temperature of iron below less 300°C less than 3 seconds

2.The hand solder should be done only one times

Repairing

Repair should not be done after the LEDs have been soldered. When repairing is unavoidable, a double-head soldering iron should be used (as below figure). It should be confirmed in advance whether the characteristics of LEDs will or will not be damaged by repairing.




Cautions



The encapsulated material of the LEDs is silicone. Therefore the LEDs have a soft surface on the top of package. The pressure to the top surface will be influence to the reliability of the LEDs. Precautions should be taken to avoid the strong pressure on the encapsulated part. So when use the picking up nozzle, the pressure on the silicone resin should be proper.

Handling Precautions


Compare to epoxy encapsulant that is hard and brittle, silicone is softer and flexible. Although its characteristic significantly reduces thermal stress, it is more prone to damage by external mechanical force . As a result, Special handling precautions must be observed during assembling using silicone encapsulated LED products, Failure to comply might leads to damage and premature failure of the LED.

1.Handle the component along the side surface by using forceps or appropriate tools; do not directly touch or Handle the silicone lens surface, it may damage the internal circuitry.






2.The outer diameter of the SMD pickup nozzle should not exceed the size of the LED to prevent air leaks. The inner diameter of the nozzle should be as large as possible. A pliable material is suggested for the nozzle tip to avoid scratching or damaging the LED surface during pickup. The dimensions of the component must be accurately programmed in the pick-and-place machine to insure precise pickup and avoid damage during production.



3.Do not stack together assembled PCBs containing LEDs. Impact may scratch the silicone lens or damage the internal circuitry


4.Not suitable to operate in acidic environment, PH<7



5.LED operating environment and sulfur element composition cannot be over 100PPM in the LED mating usage material.

6.When we need to use external glue for LED application products, please make sure that the external glue

matches the LED packaging glue. Additionally ,as most of LED packaging glue is silica gel, and it has strong Oxygen permeability as well as strong moisture permeability; in order to prevent external material from getting into the inside of LED, which may cause the malfunction of LED, the single content of Bromine element is required to be less than 900PPM,the single content of Chlorine element is required to be less than 900PPM,the total content of Bromine element and Chlorine element in the external glue of the application products is required to be less than 1500PPM



7.Other points for attention, please refer to our LED user manual.



Label

IV: Luminous intensity rank

WD: Dominate Wavelength


VF: Forward voltage rank

Tape Specifications (Units : mm)



Reel Dimensions

Moisture Resistant Packaging



Note: The tolerances unless mentioned is $\pm 0.1\text{mm}$, Unit: mm