Data Sheet

Customer:

Part No: CL-SFD3535DBW-4.4K-B-01

Sample No:

Description: 3535 White SMD

Item No:

Customer			
Check	Inspection	Approval	Date

Features:

. Reflow Solderable

. High Luminous Intensity and Low Power Dissipation

. Good Reliability and Long Life

. Complied With RoHS Directive

Applications

- Optical indicator
- Indoor display
- Backlighting in dashboard and switch
- Flat backlighting for LCD, symbol and display
- General use



Notes:

1 . All dimension units are millimeters.

2. All dimension tolerance is ±0.2mm unless otherwise noted.

Selection Guide

Part No.	Chip Materials	Lens Type	Luminous flux(LM) @ 700mA			Viewing Angle
			Min	Typ	Max	2θ1/2
CL-SFD3535DBW-4.4K-B-01	InGaN	Yellow Diffused	200	- -	250	120

Note:

1.2θ1/2 is the angle from optical centerline where the luminous intensity is 2θ1/2 the optical centerline value.

2.The above luminous intensity measurement allowance tolerance ±10%

Electrical / Optical Characteristics at Ta=25°C

Parameter	Symbol	Min.	Typ.	Max	Units	test conditions
Forward Voltage	VF	2.8	- -	3.4	V	IF=700mA
Reverse Current	IR	- -	- -	10	uA	VR = 5V
Color Rendering Index	CRI	70	- -	- -	/	IF=700mA
Color Temperature	Tc	4300	- -	4500	K	IF=700mA

Absolute Maximum Ratings at Ta=25°C

Parameter	Symbol	Rating	Units
Power Dissipation	Pd	3000	mW
DC Forward Current	IF	700	mA
Peak Forward Current [1]	IFP	1000	mA
Reverse Voltage	VR	5	V
Electrostatic Discharge (HBM)	ESD	2000	V
Operating Temperature	Topr	-40~+85	°C
Storage Temperature	Tstg	-40~+100	°C

Note:

1. 1/10 Dut cycle,0.1ms pulse width.
2. The above forward voltage measurement allowance tolerance ±0.1V.

Typical optical characteristics curves

Ambient Temperature VS. Forward Current













Bin Color：



20E 2000-2200K	0.5172	0.432	20F 2000-2200K	0.5127	0.4254	22E 2200-2400K	0.495	0.4287	22F 2200-2400K	0.4907	0.4219
	0.5324	0.4206		0.5275	0.4142		0.5082	0.4188		0.5036	0.4122
	0.5275	0.4142		0.5227	0.4078		0.5036	0.4122		0.4991	0.4057
	0.5127	0.4254		0.5082	0.4188		0.4907	0.4219		0.4865	0.4152
24E 2400-2600K	0.4795	0.4304	24F 2400-2600K	0.4753	0.4236	26E 2600-2800K	0.4605	0.4247	26F 2800-2800K	0.4567	0.4176
	0.4907	0.4219		0.4865	0.4152		0.4712	0.4167		0.4671	0.4098
	0.4865	0.4152		0.4822	0.4084		0.4671	0.4098		0.463	0.4029
	0.4753	0.4236		0.4712	0.4167		0.4567	0.4176		0.4529	0.4105

Bin Color:

28E 2800-3000K	0.4434	0.4176	28F 2800-3000K	0.4399	0.4102	30E 3000-3200K	0.4315	0.4166	30F 3000-3200K	0.4281	0.4091
	0.4529	0.4105		0.4491	0.4033		0.4399	0.4102		0.4364	0.4029
	0.4491	0.4033		0.4453	0.3962		0.4364	0.4029		0.4327	0.3951
	0.4399	0.4102		0.4364	0.4029		0.4281	0.4091		0.4248	0.4016
32E 3200-3400K	0.4167	0.4077	32F 3200-3400K	0.4181	0.3867	34E 3400-3600K	0.4061	0.4057	34F 3400-3600K	0.4033	0.3978
	0.4248	0.4016		0.4106	0.3923		0.4137	0.4		0.4106	0.3923
	0.4214	0.3942		0.4181	0.3867		0.4106	0.3923		0.4076	0.3846
	0.4137	0.4		0.4106	0.3923		0.4033	0.3978		0.4006	0.3899
36E 3600-3800K	0.3963	0.4031	36F 3600-3800K	0.3938	0.395	38E 3800-4000K	0.3848	0.3918	38F 3800-4000K	0.3825	0.3835
	0.4033	0.3978		0.4006	0.3899		0.3913	0.3869		0.3887	0.3788
	0.4006	0.3899		0.3978	0.382		0.3887	0.3788		0.3862	0.3707
	0.3938	0.395		0.3913	0.3869		0.3825	0.3835		0.3802	0.3752
40E 4000-4250K	0.3746	0.3895	40F 4000-4250K	0.3726	0.3809	42E 4250-4500K	0.3649	0.3868	42F 4250-4500K	0.3633	0.3779
	0.3825	0.3835		0.3804	0.3751		0.3726	0.3809		0.3707	0.3724
	0.3804	0.3751		0.378	0.3669		0.3707	0.3724		0.3688	0.3639
	0.3726	0.3809		0.3707	0.3724		0.3633	0.3779		0.3618	0.3691
45E 4500-5000K	0.3475	0.3775	45F 4500-5000K	0.3467	0.3679	50E 5000-5500K	0.3327	0.3659	50F 5000-5500K	0.3326	0.3559
	0.3618	0.3693		0.3603	0.3602		0.3459	0.3584		0.345	0.3489
	0.3603	0.3602		0.3587	0.3511		0.345	0.3489		0.3442	0.3393
	0.3467	0.3679		0.3459	0.3584		0.3326	0.3559		0.3325	0.3459
55E 5500-6000K	0.3224	0.3517	55F 5500-6000K	0.3227	0.3415	60E 6000-6500K	0.3102	0.3486	60F 6000-6500K	0.3117	0.3377
	0.3325	0.3459		0.3325	0.336		0.3227	0.3415		0.323	0.3313
	0.3325	0.3459		0.3324	0.326		0.323	0.3313		0.3234	0.3211
	0.3227	0.3415		0.323	0.3313		0.3117	0.3377		0.3133	0.3268
65E 6500-7000K	0.3009	0.3438	65F 6500-7000K	0.3032	0.3325	70E 7000-7500K	0.293	0.3383	70F 7000-7500K	0.2961	0.3265
	0.3117	0.3377		0.3133	0.3268		0.3032	0.3325		0.3055	0.3212
	0.3133	0.3268		0.3148	0.316		0.3055	0.3212		0.3078	0.3099
	0.3032	0.3325		0.3055	0.3212		0.2961	0.3265		0.2992	0.3148
75E 7500-8000K	0.2866	0.3319	75F 7500-8000K	0.2906	0.3197	80E 8000-9000K	0.2817	0.3077	80F 8000-9000K	0.2845	0.3012
	0.2961	0.3265		0.2992	0.3148		0.2908	0.319		0.2845	0.3012
	0.2992	0.3148		0.3024	0.303		0.2931	0.3118		0.2845	0.3012
	0.2906	0.3197		0.2945	0.3074		0.2931	0.3118		0.2845	0.3012
90E 9000-10000K	0.2751	0.2997	90F 9000-10000K	0.2782	0.2935	100E 10000-15000K	0.2653	0.2877	100F 10000-15000K	0.2692	0.2825
	0.2751	0.2997		0.2845	0.3012		0.2751	0.2997		0.2782	0.2935
	0.2845	0.3012		0.2874	0.2947		0.2782	0.2935		0.2814	0.2872
	0.2782	0.2935		0.2814	0.2874		0.2692	0.2825		0.2727	0.2768

Tolerance on each Hue (x, y) bin is +/- 0.01.

Reliability Test Items And Conditions

Test Items	Ref.Standard	Test conditions	Time	Quantity	Ac/Re
Reflow	JESD22-B106	Temp:260℃max T=10 sec	3 times.	22Pcs.	0/1
Temperature Cycle	JESD22-A104	100℃±5℃ 30 min. ↑↓5 min -40℃±5℃ 30 min.	100 Cycles	22Pcs.	0/1
High Temperature Storage	JESD22-A103	Temp:100℃±5℃	1000Hrs	22Pcs.	0/1
Low Temperature Storage	JESD22-A119	Temp:-40℃±5℃	1000Hrs	22Pcs.	0/1
Life Test	JESD22-A108	Ta=25℃±5℃ IF=700mA	1000Hrs	22Pcs.	0/1
High Temperature High Humidity Life Test	JESD22-A101	85℃±5℃/ 85%RH IF=700mA	1000Hrs	22Pcs.	0/1

Criteria For Judging Damage

Test Items	Symbol	Test conditions	Criteria For Judgement	
			Min.	Max.
Forward Voltage	VF	IF=700mA		U.S.L*)x1.1
Reverse Current	IR	VR = 5V		U.S.L*)x2.0
Luminous intensity	IV	IF=700mA	L.S.L*)x0.7	

U.S.L: Upper standard level L.S.L: Lower standard level

The technical information shown in the data sheets are limited to the typical characteristics and circuit examples of the referenced products.It does not constitute the warranting of industrial property nor the granting of any license.

SMT Reflow Soldering Instructions

1. For secondary high temperature welding, please complete within 24 hours.

2.When soldering , do not put stress on the LEDs during heating .



Soldering iron

1.When hand soldering, the temperature of the iron must less than 315℃ for 3 seconds

2.The hand solder should be done only one times

Repairing

Repair should not be done after the LEDs have been soldered. When repairing is unavoidable, a double-head soldering iron should be used(as below figure). It should be confirmed in advance whether the characteristics of LEDs will or will not be damaged by repairing.



Storage

This product uses sealing anti-moisture antistatic packaging, and with desiccant, humidity card.

Before packaging is opened:

1、 The storage environment is: the ambient temperature should be maintained between 5 °C and 30 °C, and the relative humidity should be maintained within 60 % RH. When the storage time of the product exceeds 2 months, the product must be rebaked for use.

2、 Please check that the package is leaking before opening. If it has leaked, please re-bake and use it or return to the plant to dehumidify.

After opening the package:

1、After opening the package, check whether the humidity card has a discoloration phenomenon. For example, 20 % of the humidity card indicates discoloration. Please remove the material from the bag and use it after dehumidifying 24H at 65 °C. (To reduce the risk of use, it is recommended that this product be dehumidified at 65 °C / 24H before use)

2、Environmental conditions: The ambient temperature should be kept between ≤ 30 ° C and relative humidity

The lower 60 % RH should be maintained.

3、if the material is not produced after exposure in the workshop for more than 24 hours, the product must be put back in the oven, dehumidified with 65 °C 24H, and then can be used again. If the material is not produced after 48 hours of exposure in the workshop, return the material to the SMD plant for high temperature dehumidification.

4、When the material is dehumidified, please do not open the oven in the middle, so that the oven temperature will not drop to the dehumidification effect.

Please refer to the following operating methods when the material needs to be dehumidified

Correct way: material desiccant need to remove the bag, use the way of hanging baked

Wrong way: the material is dehumidified without removing the bag, in a stacking manner

ESD

Static Electrisity will damage the LED.

The following steps can reduce the likelihood of ESD causing product damage

1.All productive machinery and test instruments must be electrically grounded.

2.Use a condustive wrist band or anti-electostatic glove when handling these LEDs.

3.Manintain a humidity level of 50%RHor higher in production areas.

4.Use anti-static packaging for transport and storage.

Handling Precautions

1.Do not stack the assembled PCB together. This may scratch the surface of the product or damage the circuit.



2.Not available in the situation of acidity for PH.

3.Electrostatic sensitive device

Carrier tape(MPQ:1000PCS/reel）



Note:The tolerances unless mentioned is ±0.1mm,Unit:mm

Moisture Resistant Packaging