




CGS | CGS SQ

TE Internal #: 1-1623779-5

4.7 ohm, Wire Wound, Power Resistor, 5 %, 20 W, ± 300 ppm/ $^{\circ}$ C, Radial-Leaded, Copper Termination, 60 x 14 x 13.5 mm, Loose Piece - Box, CGS SQ

[View on TE.com >](#)

Passive Components > Resistors > Through-Hole Resistors > Wirewound Resistor: Vertical Mount



Resistor Type: **Power Resistor**

Element Type: **Wire Wound**

Power Rating: **20 W**

Resistance Class: **Up to 1k Ω**

Resistance Value: **4.7 Ω**

[All Wirewound Resistor: Vertical Mount \(202\)](#)

Features

Product Type Features

Resistor Type	Power Resistor
Element Type	Wire Wound

Configuration Features

Number of Resistors	1
---------------------	---

Electrical Characteristics

Power Rating	20 W
Resistance Class	Up to 1k Ω
Resistance Value	4.7 Ω
Passive Component Tolerance	5 %

Body Features

Lead Type	Radial-Leaded
-----------	---------------

Termination Features

Termination Area Base Material	Copper
Number of Terminations	2

Dimensions

Passive Component Dimensions	60 x 14 x 13.5 mm
------------------------------	-------------------



Usage Conditions

Operating Temperature Range	-55 – 250 °C[-67 – 482 °F]
Temperature Coefficient	±300 ppm/°C

Packaging Features

Packaging Method	Loose Piece - Box
------------------	-------------------

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Wave solder capable to 265°C

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # CAT-C339-SQ1
Wirewound Resistor: Vertical Mount

Also in the Series | CGS SQ



Through-Hole Resistors(659)

Customers Also Bought



TE Part #770520-8
AMPSEAL, TERMINAL, GOLD PLATE,
20-22AWG WIR



TE Part #CAT-M8793-CH8172
MOS, CONNECTOR HOUSING




TE Part #953122-1
40W MOS COVER ASSY (15D)



TE Part #1393212-8
T92S7D12-12



TE Part #1-1939638-4
DYNAMIC 1100D HDR ASSY H 28P
XBLACK GOLD



TE Part #1981045-1
DYNAMIC D3900 SPRING OPENER



TE Part #3-2229803-1
D3950 HDR 3POS 1ROW X KEY



TE Part #6116526-1
MJ ASSY, 8POS, R/A, SHLD, CAT5e



TE Part #929938-1
JPT REC 2.8 Contact SWS Sn (LP)



Documents

Product Drawings

[SQB20 4R7 5% \(WIRE\)](#)

English

CAD Files

Customer View Model

[ENG_CVM_CVM_1-1623779-5_BA.3d_stp.zip](#)

English

Customer View Model

[ENG_CVM_CVM_1-1623779-5_BA.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_1-1623779-5_BA.3d_igs.zip](#)

English

[3D PDF](#)

3D

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[4-1773460-6_RESISTIVE_SOLUTIONS_RAIL](#)

English

[1309350_PASSIVE_COMPONENT](#)

English

[8-1773459-4_POWER_FILTERING_AND_RESISTIVE_SOLUTIONS_FOR_ELEVATORS_AND_ESCALATORS](#)

English