




Automotive Parts > Automotive Power Distribution Boxes > Hard Wired Box Accessories



Hardware Accessory Type: **Cover**

IP Rating: **IP67**

UL Flammability Rating: **UL 94V-0**

Sealable: **Yes**

Operating Temperature Range: **-40 – 60 °C [-40 – 140 °F]**

Features

Product Type Features

Hardware Accessory Type	Cover
Sealable	Yes

Usage Conditions

Operating Temperature Range	-40 – 60 °C[-40 – 140 °F]
-----------------------------	---------------------------

Industry Standards

IP Rating	IP67
UL Flammability Rating	UL 94V-0

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247)

Does not contain REACH SVHC

Halogen Content

Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Solder Process Capability

Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 828922-1
2,5MM CAVITY PLUG FOR 5,4MM DI



TE Part # CAT-AM7-FRB69
Sealed Fuse and Relay Boxes



TE Part # 1-1579007-3
EXTRACTION TOOL



TE Part # 1-968857-1
AMP MCP 2.8, CONTACT SWS



TE Part # 1443998-1
FUSE PULLER



TE Part # 828905-1
SINGLE-WIRE-SEAL(5MM HOLE)

Customers Also Bought



TE Part #254699-E
SRCA 2,54 6 M 1 SMD 137 E1 094 *
GURT *



TE Part #4525DO-DS3BK015GPL
PRESS XDCR,DIGITAL,PSI RANGE




TE Part #CAT-BLPS0001
PCB MOUNTED DIGITAL PRESSURE
SENSOR



TE Part #282680-1
SPLASH PR.ASSY W.SEC.LOCK2W TY



TE Part #3-928776-7
AMPMODU II ACTION PIN 21.2MM
LENGTH



TE Part #967543-1
SENSOR FLA-KONT 2,8



TE Part #1674311-7
0.64 III RCPT 3 Serrations Pre-Tin



TE Part #9-1719678-9
48 POS MIXED REC HSG



TE Part #2278076-2
ACTION PIN FOR 1MM HOLE

Documents

Product Drawings

COVER WITH SEAL

English

CAD Files

Customer View Model

[ENG_CVM_109854-1_B.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_109854-1_B.3d_stp.zip](#)

English

Customer View Model

[ENG_CVM_109854-1_B.2d_dxf.zip](#)

English

3D PDF

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages



ICT Fuse and Relay Enclosures

English

Product Specifications

Engineering Specification

English