



Switches > Rotary Switches > Rotary Switch, Center Thread, Short Handle Selector, Sealed



Number of Positions: 1

Actuator Style: **Short Handle Selector**

Number of Decks: 1

Actuator Color: **Red**

Rotary Switch Type: **Selector**

[All Rotary Switch, Center Thread, Short Handle Selector, Sealed \(12\)](#)

Features

Product Type Features

Switch Connection Type	DIN Connector
Actuator Style	Short Handle Selector
Rotary Switch Type	Selector
Sealed Device	Yes

Configuration Features

Number of Positions	1
Number of Decks	1
Number of Switches	2
Operating Function	Change Over 2 Pole, Maintained

Electrical Characteristics

Contact Current Rating	5 A
Operating Voltage	32 VDC

Body Features

Actuator Color	Red
Case Material	Thermoplastic
Product Orientation	Vertical



Mechanical Attachment

Product Mount Type	Panel Mount
--------------------	-------------

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Compliant with Exemptions
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JAN 2025 (247) SVHC > Threshold: Pb (3% in Component Part) Article Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Not Yet Reviewed for halogen content
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # CAT-AL8-KSDRSC
Rotary Switch, Center Thread, Short Handle Selector, Sealed

Also in the Series | **KISSLING Series DS**



Rotary Switches(23)

Customers Also Bought



TE Part #CAT-AL8-KSEESS
Emergency Stop Switch, 1 Actuator, Flush, Threaded Bushing




TE Part #K1140667
Push button switch TS-211-GN32



TE Part #K1127684
Relay 29-112-12




TE Part #K1152194
Leuchtmelder TS-201-RT12




TE Part #63623-1
RCPT AMVAR 250 FAST LIF 016BR



TE Part #3-794679-2
02P MICRO MNL ASSY,R/A,THRU,LF



TE Part #1546307-2
2P .374" DR BARRIER,W/WASHER



TE Part #K1166149
Push button switch TS-211-GE22

Documents

Product Drawings

[Rotary Switch DS-221-RT1](#)

English

[Rotary Switch DS-221-RT1](#)

German

CAD Files

[3D PDF](#)

[3D](#)

[Customer View Model](#)

[ENG_CVM_CVM_DS-221-RT1_A.2d_dxf.zip](#)

English

[Customer View Model](#)

[ENG_CVM_CVM_DS-221-RT1_A.3d_igs.zip](#)

English

[Customer View Model](#)

[ENG_CVM_CVM_DS-221-RT1_A.3d_stp.zip](#)



English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

[Datasheets & Catalog Pages](#)

[KISSLING ROTARY SWITCH Series DS](#)

English