

# Product data sheet

Specifications



Disconnect switch, TeSys VLS, interlock for line changeover (I-0-II), size 2, 30A to 125A devices

VLS8C2

## Main

Range	TeSys
Product or component type	Mechanical interlock
Accessory / separate part category	Interlocking accessory
Range compatibility	TeSys TeSys VARIO LS VLS3P
Handle colour	Black
Handle front plate colour	Grey
Rotary handle padlocking	1 padlock 0.2 in (4 mm)
Marking	1 - 0 - 2

## Complementary

fixing mode	By clips and screws
Tightening torque	4.4 lbf.in (0.5 N.m)
Height	1.8 in (45 mm)
Width	5.5 in (140 mm)
Depth	1.06 in (27 mm)
Net weight	0.165 lb(US) (0.075 kg)

## Environment

Standards	UL98 CSA C22.2 No 4
Product certifications	cULus EAC
IP degree of protection	IP20

## Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	2.95 in (7.500 cm)
Package 1 Width	2.17 in (5.500 cm)
Package 1 Length	5.71 in (14.500 cm)
Package 1 Weight	3.951 oz (112.000 g)
Unit Type of Package 2	S03
Number of Units in Package 2	35

---

<b>Package 2 Height</b>	11.81 in (30.000 cm)
<b>Package 2 Width</b>	11.81 in (30.000 cm)
<b>Package 2 Length</b>	15.75 in (40.000 cm)
<b>Package 2 Weight</b>	9.711 lb(US) (4.405 kg)

---

## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

### Use Better

 <b>Materials and Substances</b>	
Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
<a href="#">EU RoHS Directive</a>	Compliant

### Use Again

 <b>Repack and remanufacture</b>	
Take-back	No
WEEE Label	 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins