

# Product data sheet

Specifications



Disconnect switch, TeSys VLS, coupling system for 6 to 8 pole switch disconnectors, size 1, 16A to 40A devices

VLS8M1

## Main

Range	TeSys
Product or component type	Mechanical interlock
Accessory / separate part category	Coupling accessory
Range compatibility	TeSys TeSys VARIO LS VLS3P
Handle colour	Black
Handle front plate colour	Grey
Rotary handle padlocking	1 padlock 0.2 in (4 mm)
Marking	0 - 1

## Complementary

fixing mode	By clips and screws
Tightening torque	4.4 lbf.in (0.5 N.m)
Height	1.8 in (45 mm)
Width	2.8 in (72 mm)
Depth	1.06 in (27 mm)
Net weight	0.11 lb(US) (0.05 kg)

## Environment

Standards	UL 508 CSA C22.2 No 14
Product certifications	cULus EAC
IP degree of protection	IP20

## Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	1.85 in (4.700 cm)
Package 1 Width	2.56 in (6.500 cm)
Package 1 Length	3.54 in (9.000 cm)
Package 1 Weight	2.434 oz (69.000 g)
Unit Type of Package 2	S02
Number of Units in Package 2	28

---

<b>Package 2 Height</b>	5.91 in (15.000 cm)
<b>Package 2 Width</b>	11.81 in (30.000 cm)
<b>Package 2 Length</b>	15.75 in (40.000 cm)
<b>Package 2 Weight</b>	4.903 lb(US) (2.224 kg)

---

## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

### Use Better

 <b>Materials and Substances</b>	
Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
<a href="#">EU RoHS Directive</a>	Pro-active compliance (Product out of EU RoHS legal scope)

### Use Again

 <b>Repack and remanufacture</b>	
Take-back	No