

1393315-9 ✓ ACTIVE



High Current Relay HCR 150

TE Internal #: 1393315-9

High Current Relay, DC, Monostable, 1 Form X (DM), 130 A Contact Rating, 24 VDC Coil Voltage, 24 VDC Contact Voltage, High Current Relay HCR 150

[View on TE.com >](#)

Relays & Contactors > Electromechanical Relays



Relay & Contactor Type: **High Current Relay**

Coil Magnetic System: **Monostable**

Contact Arrangement: **1 Form X (DM)**

Current Type: **DC**

Contact Current Rating: **130 A**

Features

Product Type Features

Relay & Contactor Type	High Current Relay
------------------------	--------------------

Configuration Features

Coil Special Features	Resistor in Parallel
Contact Arrangement	1 Form X (DM)

Electrical Characteristics

Contact Limiting Making Current	300 A
Contact Limiting Continuous Current	180 A
Contact Limiting Breaking Current	300 A
Insulation Initial Dielectric Between Open Contacts	1000 Vrms
Contact Switching Load (Min)	1000mA @ 5VDC
Coil Resistance	141 Ω
Contact Current Rating	130 A
Coil Voltage Rating	24 VDC
Contact Voltage Rating	24 VDC
Coil Power Rating DC	4.1 W
Insulation Initial Dielectric Between Contacts & Coil	1000 Vrms

Body Features

Product Weight	220 g[7.76 oz]
----------------	----------------



Enclosure Type	Dust Protected
----------------	----------------

Contact Features

Contact Material	Silver Alloy
------------------	--------------

Termination Features

Main Termination & Connection Type	M6 Male
------------------------------------	---------

Coil Termination & Connection Type	Wire Connector
------------------------------------	----------------

Mechanical Attachment

Product Mounting Feature Type	Mounting Brackets
-------------------------------	-------------------

Product Mount Type	Panel Mount
--------------------	-------------

Dimensions

Product Width	45 mm[1.772 in]
---------------	-----------------

Product Length	63 mm[2.48 in]
----------------	----------------

Product Height	40 mm[1.574 in]
----------------	-----------------

Usage Conditions

Operating Temperature Range	-40 – 125 °C[-40 – 257 °F]
-----------------------------	----------------------------

Environmental Category of Protection	RTI
--------------------------------------	-----

Environmental Ambient Temperature (Max)	125 °C[257 °F]
---	----------------

Operation/Application

Coil Magnetic System	Monostable
----------------------	------------

Current Type	DC
--------------	----

Other

Coil Power Rating Class	>3 – ≤10 W
-------------------------	------------

Contact Current Class	>50 – ≤200 A
-----------------------	--------------

Height Class (Mechanical)	>33 – ≤45 mm[>1.299 – ≤1.772 in]
---------------------------	----------------------------------

Length Class (Mechanical)	>45 – ≤70 mm[>1.772 – ≤2.756 in]
---------------------------	----------------------------------

Width Class (Mechanical)	>33 mm[>1.299 in]
--------------------------	-------------------

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
------------------------------	-----------

EU ELV Directive 2000/53/EC	Compliant
-----------------------------	-----------

China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
---	---



EU REACH Regulation (EC) No. 1907/2006

Current ECHA Candidate List: JUNE 2025
(250)

Candidate List Declared Against: JAN 2025
(247)

Does not contain REACH SVHC

Halogen Content

Low Halogen - Br, Cl, F < 900 ppm per
homogenous material. Also BFR/CFR/PVC
Free


Solder Process Capability

Not applicable for solder process capability


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 1-1393315-4
V23132M0000M000 HCR150 Samples




TE Part # 281934-2
SINGLE WIRE SEAL

Also in the Series | High Current Relay HCR 150



Automotive Relays(6)



DC Relays(6)

Customers Also Bought



TE Part #K1133909
Bi-Relay 30-513-12



TE Part #K1158793
Toggle Switch 07-1-1-13 921




TE Part #HC5735
50MM2 NEGATIVE BAT LEAD 1/4"
UNC THREAD



TE Part #K1165287
Emergency Switch ES-2011-T121



TE Part #66255-5
TYPE XII CONT ASY MALE



TE Part #1-480672-0
09P .140 MNL PLUG PM NAT



TE Part #776534-1
AS16,CAP ASSY,ST,02P,E SEAL,CODE
A



TE Part #8-968972-1
MCP 2.8 GEH 12P



TE Part #K1060688
Relay 300A 24V F-FL LK 29-313-12-927



TE Part #7-1393304-1
V23134M1052C642-EV-CBOX

Documents

Product Drawings

[V23132B2002A200-EV-CBOX](#)

English

CAD Files

Customer View Model

[ENG_CVM_CVM_1393315-9_B.2d_dxf.zip](#)

English

3D PDF

3D

Customer View Model

[ENG_CVM_CVM_1393315-9_B.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_1393315-9_B.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages



[Automotive Relay Application Notes](#)

English

[Product Specifications](#)

[Definitions General Purpose Relays](#)

English