



Sensors > Temperature Sensors > NTC Sensors > NTC Thermistors > Standard Epoxy NTC Thermistors



NTC Sensor Type: **Epoxy Coated NTC Thermistor**

Lead Wire Length: **76 mm [2.992 in]**

Resistance (at 25°C): **1 kΩ**

Resistance Tolerance (at 25°C): **± .5 %**

β-Value(25/85): **3348 K**

[All Standard Epoxy NTC Thermistors \(92\)](#)

Features

Product Type Features

β-Value (0/50)	3263 K
Temperature Tolerance	± 0.2 °C from 0 – 25 °C
NTC Sensor Type	Epoxy Coated NTC Thermistor
Resistance Tolerance (at 25°C)	± .5 %
Tolerance β-Value	±.5 %

Electrical Characteristics

β-Value(25/85)	3348 K
----------------	--------

Body Features

Lead Wire Conductor Type	Tinned Copper Solid
--------------------------	---------------------

Dimensions

Lead Wire Size	32 AWG
Product Diameter	2.4 mm[.094 in]
Lead Wire Length	76 mm[2.992 in]

Usage Conditions

Resistance (at 25°C)	1 kΩ
----------------------	------

Operating Temperature Range -40 – 100 °C[-40 – 212 °F]

Operating Temperature (Max) 100 °C[212 °F]

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JAN 2024 (240) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



Also in the Series | **BETACURVE**



NTC Thermistors(93)


Customers Also Bought



TE Part #CSI-RGFI-100-UFFR
RP-SMA to U.FL/MHF1 100mm 1.13
OD



TE Part #60771-2
RING CRIMP 18-14 AWG TPBR




TE Part #5-104652-3
30 50/50 GRID DRST SFMNT RCPT



TE Part #5-104693-3
30 50/50 HDR DRST SFMNT.390 SN



TE Part #2-323914-1
TERMINAL,PIDG R 26-22 4



TE Part #2-520193-2
ULTRA-FAST 187 ASY REC 22-18 TPBR




TE Part #1241380-2
AMP MCP 1.5K, CONTACT, SWS



TE Part #1393030-4
SSR-240A25= PANEL MOUNT,25A,
240VAC-AC i/p



TE Part #6609963-5
PSOSSDBX0=C5619



TE Part #2-929940-1
JPT REC 2.8 Contact SWS Au (LP)

Documents

[CAD Files](#)

[3D PDF](#)

[3D](#)

[Customer View Model](#)

[ENG_CVM_CVM_GA1K2A1_N.2d_dxf.zip](#)

[English](#)

[Customer View Model](#)

[ENG_CVM_CVM_GA1K2A1_N.3d_igs.zip](#)



English

Customer View Model

[ENG_CVM_CVM_GA1K2A1_N.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[GA1K2A1 SERIES V THERMISTORS](#)

English

[Series_V_Thermistor_1K2A1](#)

English

[CAT-NTC0001 Epoxy coated NTC Thermistors](#)

English