



Automotive Parts > Automotive Connector Accessories > Other Automotive Connector Accessories >

Heavy Duty Sealed Connector Series Fixing Slides



Primary Product Color: **Red**
Primary Product Material: **PBT GF**
Automotive Connector Accessory Type: **Mounting Clip**
Operating Temperature Range: **-40 – 140 °C [-40 – 284 °F]**

[All Heavy Duty Sealed Connector Series Fixing Slides \(33\)](#)

Features

Product Type Features

Automotive Connector Accessory Type	Mounting Clip
-------------------------------------	---------------

Configuration Features

Number of Positions	8, 10, 12
---------------------	-----------

Body Features

Primary Product Color	Red
Primary Product Material	PBT GF

Usage Conditions

Compatible With Connector Style	Housing For Male Terminals
Operating Temperature Range	-40 – 140 °C[-40 – 284 °F]

Industry Standards

UL Flammability Rating	UL 94V-0
------------------------	----------

Packaging Features

--	--



Packaging Method	Carton
Packaging Quantity	1600

Other

Serviceable	Yes
-------------	-----

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 3-1579018-8
UNLOCK TOOL



TE Part # CAT-H3399-CH8172
Heavy Duty Sealed Connector Series
Housings



TE Part # 1670720-2
SLIDE,TAB HSG GROUP C



Also in the Series

Heavy Duty Sealed Connector Series

Automotive Connector Caps & Covers
(25)

Automotive Housings(215)

Data Connectivity Housings(26)

Customers Also Bought

TE Part #CAT-H3399-SL34
Heavy Duty Sealed Connector Series
Fixing Slides

TE Part #1-1564520-1
12POS,TAB 1.6X0.6,TAB HSG,ASSY

TE Part #1623790-2
SQM10S 10R 5% LP (WIRE)

TE Part #1-2477644-1
32POS,HYBRID,TAB HSG ASSY,SLD,
COD A

TE Part #2481183-1
20POS,NANOMQS,REC HSG,CABLE

TE Part #2495273-2
2POS,CSJ1800,HDR ASSY,COD B

TE Part #1-2495273-1
2POS,CSJ1800,HDR ASSY,COD A

Documents

Product Drawings

SLIDE,TAB HSG GROUP D

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1564562-2_L.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1564562-2_L.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1564562-2_L.3d_stp.zip



English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

Heavy Duty Sealed Connector Series

English

HDSCS Catalog

English

CONNECTOR SELECTOR

English

Product Specifications

Application Specification

English