

1658527-4 ✓ ACTIVE




AMP-LATCH

TE Internal #: 1658527-4

Wire-to-Board, 10 Position, 2.54 mm [.1 in] Centerline, 2 Row,
Receptacle, Wire & Cable, Signal, Cable Mount (Free-Hanging),
Ribbon Cable Connectors

[View on TE.com >](#)

Connectors > PCB Connectors > Wire-to-Board Connectors > FFC, FPC & Ribbon Connectors > Ribbon Cable Connectors



Connector System: **Wire-to-Board**

Number of Positions: **10**

Centerline (Pitch): **2.54 mm [.1 in]**

Row-to-Row Spacing: **2.54 mm [.1 in]**

Number of Rows: **2**

Features

Product Type Features

Connector Product Type	Connector Assembly
Connector System	Wire-to-Board
Connector & Housing Type	Receptacle
Connector & Contact Terminates To	Wire & Cable

Configuration Features

Number of Positions	10
Number of Rows	2

Body Features

Primary Product Color	Blue
-----------------------	------

Contact Features

	30 μ m
Contact Mating Area Plating Material	Gold (Au)
Wire Contact Termination Area Plating Thickness	.127 μ m[5 μ m]
Wire Contact Termination Area Plating Material	Gold Flash



Mating Square Post Dimension	.64 mm[.025 in]
Contact Current Rating (Max)	1 A

Termination Features

Termination Method to Wire & Cable	Insulation Displacement (IDC)
------------------------------------	-------------------------------

Mechanical Attachment

Mating Alignment Type	Polarization
Mating Retention	Without
Connector Mounting Type	Cable Mount (Free-Hanging)

Housing Features

Centerline (Pitch)	2.54 mm[.1 in]
--------------------	----------------

Dimensions

Row-to-Row Spacing	2.54 mm[.1 in]
--------------------	----------------

Usage Conditions

Operating Temperature Range	-55 – 125 °C[-67 – 257 °F]
-----------------------------	----------------------------

Operation/Application

Circuit Application	Signal
---------------------	--------

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)


EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these


limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts






TE Part # 5104338-1
A/L LOW PRO HDR 10P VERT HT



TE Part # 2-1761607-3
IDC LOW PRO HDR 10P RA LAT



TE Part # 2-1761605-3
IDC LOW PRO HDR 10P RA BLUE



TE Part # 1-111506-6
010 UNIV I/O 30DP SLOT LTCH

Customers Also Bought



TE Part #85BSD005BG0-3BSC
PRESS,ISO,BACK-SIDE DIGITAL




TE Part #EC0037-000
05801606



TE Part #85-030G-0R
30 PSIG WELDABLE RIBBON
PRESSURE SENSOR



TE Part #3-1618274-6
HC-3=RELAY, VACUUM, SPDT




TE Part #1-1623746-3
ER74 1R0 5% AMMO PK



TE Part #2-1658527-2
622-1441LF=FSKT IDC S 14 30AU



TE Part #1676322-1
RN 0805 3K01 0.1% 10PPM CUT
LENGTH



TE Part #8-1879665-8
H8 100K 0.1% 15PPM



TE Part #US331-000005-015PG
PRESS XDCR US331-000005-015PG



TE Part #2003883-F
SQ273-P015GZ8P; Press;0..15psi,DIP

Documents

[CAD Files](#)

[3D PDF](#)

[3D](#)

[Customer View Model](#)

[ENG_CVM_CVM_1658527-4_C.2d_dxf.zip](#)

English

[Customer View Model](#)

[ENG_CVM_CVM_1658527-4_C.3d_igs.zip](#)

English



Customer View Model

[ENG_CVM_CVM_1658527-4_C.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[Ribbon Cable Interconnect Solutions](#)

English

Product Specifications

[Product Specification](#)

English

Instruction Sheets

[Instruction Sheet \(U.S.\)](#)

English