

1924487-1 ✓ ACTIVE

AMP | AMPSEAL 16

TE Internal #: 1924487-1

Black, PA, Mounting Clip, -40 – 120 °C [-40 – 248 °F], AMPSEAL 16

[View on TE.com >](#)



Automotive Parts > Automotive Connector Accessories > Other Automotive Connector Accessories > AMPSEAL 16 Connectors Mounting Clips



Primary Product Color: **Black**

Primary Product Material: **PA**

Automotive Connector Accessory Type: **Mounting Clip**

Operating Temperature Range: **-40 – 120 °C [-40 – 248 °F]**

[All AMPSEAL 16 Connectors Mounting Clips \(3\)](#)

## Features

### Product Type Features

Automotive Connector Accessory Type	Mounting Clip
-------------------------------------	---------------

### Body Features

Primary Product Color	Black
Primary Product Material	PA

### Usage Conditions

Operating Temperature Range	-40 – 120 °C[-40 – 248 °F]
-----------------------------	----------------------------

### Industry Standards

UL Flammability Rating	UL 94HB
------------------------	---------

### Packaging Features

Packaging Method	Package
Packaging Quantity	1

### Other

Serviceable	Yes
-------------	-----

## Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
------------------------------	-----------




EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer




This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

## Compatible Parts

<p>TE Part # 1-2448800-3 AS16,BLKHD ASSY,ST,02P,N SEAL, CODE C</p>	<p>TE Part # 1-2448800-1 AS16,BLKHD ASSY,ST,02P,N SEAL, CODE A</p>	<p>TE Part # 2-2448800-3 AS16,BLKHD ASSY,ST,02P,E SEAL, CODE C</p>	<p>TE Part # 2338211-4 CAP PIN ASSY, 4P, W2W, SEALED COAX</p>
 <p>TE Part # 2318967-1 24POS,AMP MCP 2.8,REC HSG ASSY, SLD</p>	 <p>TE Part # 2319023-2 8POS,AMP MCP 2.8,REC HSG ASSY, SLD</p>	<p>TE Part # 2338211-2 CAP PIN ASSY, 4P, W2W, SEALED COAX</p>	<p>TE Part # 2-2448800-1 AS16,BLKHD ASSY,ST,02P,E SEAL, CODE A</p>



## Also in the Series | AMPSEAL 16



## Customers Also Bought



## Documents

### Product Drawings

[MOUNTING CLIP, AMPSEAL 16](#)

English

[MOUNTING CLIP, AMPSEAL 16](#)

English

### CAD Files

[3D PDF](#)

3D

Customer View Model

[ENG\\_CVM\\_CVM\\_1924487-1\\_D.2d\\_dxf.zip](#)

English

Customer View Model

[ENG\\_CVM\\_CVM\\_1924487-1\\_D.3d\\_igs.zip](#)

English

Customer View Model

[ENG\\_CVM\\_CVM\\_1924487-1\\_D.3d\\_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

### Datasheets & Catalog Pages

[CONNECTOR SELECTOR](#)

English

### Product Specifications

[Application Specification](#)

English

1924487-1

Black, PA, Mounting Clip, -40 – 120 °C [-40 – 248 °F], AMPSEAL 16

