



Dynamic Series | Dynamic Series Thermocouple Connector

TE Internal #: 2295205-1

Shield & Strain Relief, Stainless Steel, Dynamic Series Thermocouple Connector

[View on TE.com >](#)

Connectors > Connector Accessories > Connector Caps & Covers



Connector Cover Type: **Shield & Strain Relief**

Primary Product Material: **Stainless Steel**

Operating Temperature (Max): **220 °C [428 °F]**

Operating Temperature Range: **-20 – 220 °C [-4 – 428 °F]**

Features

Product Type Features

Connector Cover Type	Shield & Strain Relief
----------------------	------------------------

Body Features

Primary Product Material	Stainless Steel
--------------------------	-----------------

Mechanical Attachment

Strain Relief	With
---------------	------

Usage Conditions

Operating Temperature (Max)	220 °C[428 °F]
-----------------------------	----------------

Operating Temperature Range	-20 – 220 °C[-4 – 428 °F]
-----------------------------	---------------------------

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
------------------------------	-----------

EU ELV Directive 2000/53/EC	Compliant
-----------------------------	-----------

China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
---	---

EU REACH Regulation (EC) No. 1907/2006	
--	--



Current ECHA Candidate List: JUNE 2025 (250)
 Candidate List Declared Against: JUNE 2025 (250)
 Does not contain REACH SVHC

Halogen Content Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Solder Process Capability Not applicable for solder process capability





Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts




Also in the Series | Dynamic Series Thermocouple Connector



Customers Also Bought



TE Part #2-179552-4
DYNAMIC D-3200S TAB HSG 4P K/Y



TE Part #1-353046-3
DYNAMIC D-5200S TAB HSG 3P K/X



TE Part #1376807-2
DYNATAP CONN. 18P ASSY PdNi




TE Part #5-1473571-4
RITS.JUNCTION BOX 2D 4P F/H



TE Part #1971003-1
Dynatap Conn. Junction type 24P



TE Part #5-1971772-2
PTL 1X2 CAP PANEL MT HITEMP KEY
A LGR




TE Part #3-2040404-2
DYNAMIC 1500T TAB HSG 36PX P/M



TE Part #1-2299959-1
TRAY PACKAGE.THERMOCOUPLE
CONN KTYPE REC



TE Part #1-2299960-1
TRAY PACKAGE.THERMOCOUPLE
CONN KTYPE TAB



TE Part #2229498-1
PROXMAG SENSOR 2 PSA102-T120-
L1200-0

Documents

Product Drawings

[THERMOCOUPLE CONNECTOR.STRAIN RELIEF.](#)

English

CAD Files

[3D PDF](#)

3D

Customer View Model

[ENG_CVM_CVM_2295205-1_C.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_2295205-1_C.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_2295205-1_C.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages



1-1773895-2_THERMOCOUPLE_FLYER

English

Product Specifications

Product Specification

Japanese