

281934-4 ✓ ACTIVE

AMP | AMP Superseal 1.5mm Series


TE Internal #: 281934-4

Single Wire Seal (SWS), 5.5 mm [.217 in] Cavity Diameter, -40 – 130 °C [-40 – 266 °F], Green, Silicone, AMP Superseal 1.5mm Series

[View on TE.com >](#)



Connectors > Connector Accessories > Connector Seals & Cavity Plugs



Connector Seal & Plug Type: **Single Wire Seal (SWS)**

Cavity Diameter: **5.5 mm [.217 in]**

Operating Temperature Range: **-40 – 130 °C [-40 – 266 °F]**

Primary Product Color: **Green**

Primary Product Material: **Silicone**

## Features

### Product Type Features

Connector Seal & Plug Type	Single Wire Seal (SWS)
----------------------------	------------------------

### Body Features

Primary Product Color	Green
-----------------------	-------

Primary Product Material	Silicone
--------------------------	----------

### Dimensions

Cavity Diameter	5.5 mm [.217 in]
-----------------	------------------

Compatible Insulation Diameter Range	1.6 mm [.063 in]
--------------------------------------	------------------

### Usage Conditions

Operating Temperature Range	-40 – 130 °C [-40 – 266 °F]
-----------------------------	-----------------------------

Operating Temperature (Max)	130 °C [266 °F]
-----------------------------	-----------------

### Other

Resistance to Hydrocarbons	Poor
----------------------------	------

Shore A Hardness	50
------------------	----

Contains Lubricant	Yes
--------------------	-----

## Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
------------------------------	-----------



EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

## Compatible Parts

TE Part # 2374441-1  
CAS HTS MIL PN A211B-028A0Z, L-400MM

TE Part # CAT-AM71-T273  
AMP SUPERSEAL 1.5MM, RECEPTACLE AND TAB

TE Part # 2374441-5  
CAS HTS MIL PN A219B-028A0Z, L-300MM

TE Part # 2374441-8  
CAS HTS MIL PN A211-028A0Z, L-210MM

TE Part # 2374441-9  
CAS HTS MIL PN A216A-028A0Z, L-500MM



TE Part # 2374441-6  
CAS HTS MIL PN A218-028A0Z, L-400MM

TE Part # 2374441-2  
CAS HTS MIL PN 211E-028, L-300MM


TE Part # CAT-AM71-CH8172  
AMP SUPERSEAL 1.5MM, CONNECTOR HOUSING



### Also in the Series | AMP Superseal 1.5mm Series



### Customers Also Bought



### Documents

[Product Drawings](#)  
[SINGLE WIRE SEAL](#)

English

[SINGLE WIRE SEAL](#)

English



### CAD Files

#### 3D PDF

3D

#### Customer View Model

[ENG\\_CVM\\_CVM\\_281934-4\\_H.2d\\_dxf.zip](#)

English

#### Customer View Model

[ENG\\_CVM\\_CVM\\_281934-4\\_H.3d\\_igs.zip](#)

English

#### Customer View Model

[ENG\\_CVM\\_CVM\\_281934-4\\_H.3d\\_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

### Datasheets & Catalog Pages

#### ICT Terminals and Connectors Catalogue

English

### Product Specifications

#### AMP Superseal 1.5 series

English

English