



Connectors > Connector Accessories > Connector Seals & Cavity Plugs



Connector Seal & Plug Type: **Interface Seal**  
Operating Temperature Range: **-40 – 90 °C [-40 – 194 °F]**  
Primary Product Material: **Urethane Foam**  
Operating Temperature (Max): **90 °C [194 °F]**

Features

Product Type Features

|                            |                |
|----------------------------|----------------|
| Connector Seal & Plug Type | Interface Seal |
|----------------------------|----------------|

Body Features

|                          |               |
|--------------------------|---------------|
| Primary Product Material | Urethane Foam |
|--------------------------|---------------|

Usage Conditions

|                             |                           |
|-----------------------------|---------------------------|
| Operating Temperature Range | -40 – 90 °C[-40 – 194 °F] |
| Operating Temperature (Max) | 90 °C[194 °F]             |

Packaging Features

|                    |         |
|--------------------|---------|
| Packaging Method   | Bag/Box |
| Packaging Quantity | 1000    |

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

|                                               |                                         |
|-----------------------------------------------|-----------------------------------------|
| EU RoHS Directive 2011/65/EU                  | Compliant                               |
| EU ELV Directive 2000/53/EC                   | Out of Scope                            |
| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold |



EU REACH Regulation (EC) No. 1907/2006

Current ECHA Candidate List: JUNE 2025 (250)  
Candidate List Declared Against: JUNE 2025 (250)  
Does not contain REACH SVHC

Halogen Content

Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free




Solder Process Capability

Not applicable for solder process capability


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

|                                                                                                                                                   |                                                                                                                                                  |                                                                                                                                                    |                                                                                                                                                     |
|---------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------|
|  <p>TE Part # 1586359-2<br/>02P MINIUMNL GANG WIRE SEAL DR</p> |  <p>TE Part # 1-770872-1<br/>02P MINI UMNL HDR ASSY AU LF</p> |  <p>TE Part # 794894-3<br/>02P MINI UMNL PLUGS WIRE HOLES</p> |  <p>TE Part # 1-770966-0<br/>02P MINI UMNL R/A HDR ASSY SN</p> |
|  <p>TE Part # 794894-1<br/>02P MINI UMNL PLUGS WIRE HOLES</p>  |  <p>TE Part # 794896-1<br/>2 CIR MINI UMNL RND WIRE HOLES</p> |  <p>TE Part # 1-770872-0<br/>02P MINI UMNL HDR ASSY SN</p>    |  <p>TE Part # 1-770966-1<br/>02P MINI UMNL R/A HDR ASSY AU</p> |





TE Part # 794758-1

MINI UMNL WIRE SEAL,18-26AWG

Also in the Series | Mini-Universal MATE-N-LOK



Connector Caps & Covers(2)



Connector Contacts(89)




Connector Seals & Cavity Plugs(17)



Connector Strain Relief(2)



Insertion & Extraction Tools(1)




PCB Headers & Receptacles(93)



Power Contacts(89)



Rectangular Power Connectors(196)



Wire-to-Board Headers & Receptacles  
(93)

Customers Also Bought



TE Part #794772-6

06P MINI UMNL SEAL,DIE CUT



TE Part #794805-1

4 CIR UMNL PLUG,ROUND HOLES



TE Part #794894-1

02P MINI UMNL PLUGS WIRE HOLES



TE Part #794895-1

6 CIR MINI UMNL RND WIRE HOLES



TE Part #794940-1  
06P MINI UMNL CAP HSG

TE Part #794995-1  
MINI UMNL CAVITY PLUG SEAL

TE Part #1586359-2  
02P MINIMUMNL GANG WIRE SEAL DR

TE Part #2029060-1  
MINI UMNL LATCH LOCK

TE Part #353112-4  
.040 2 MLC 24P PLUG HSG ASSY

TE Part #4-1105000-3  
HD.M-C-STI.SN.1,5

Documents

Product Drawings

02P MINI UMNL SEAL,DIE CUT

English

CAD Files

3D PDF

3D

Customer View Model

ENG\_CVM\_CVM\_794772-2\_C.2d\_dxf.zip

English

Customer View Model

ENG\_CVM\_CVM\_794772-2\_C.3d\_igs.zip

English

Customer View Model

ENG\_CVM\_CVM\_794772-2\_C.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

SOFT\_SHELL\_PIN\_AND\_SOCKET\_CONNECTORS\_CATALOG

English

Product Specifications

Application Specification

English

Instruction Sheets

Instruction Sheet (U.S.)



English