

794995-1 ✓ ACTIVE

MATE-N-LOK | Mini-Universal MATE-N-LOK


TE Internal #: 794995-1

Single Cavity Plug Seal, -40 – 90 °C [-40 – 194 °F], Black, Silicone Rubber, Mini-Universal MATE-N-LOK

[View on TE.com >](#)



Connectors > Connector Accessories > Connector Seals & Cavity Plugs



Connector Seal & Plug Type: **Single Cavity Plug Seal**

Operating Temperature Range: **-40 – 90 °C [-40 – 194 °F]**

Primary Product Color: **Black**

Primary Product Material: **Silicone Rubber**

Operating Temperature (Max): **90 °C [194 °F]**

Features

Product Type Features

Connector Seal & Plug Type	Single Cavity Plug Seal
----------------------------	-------------------------

Body Features

Primary Product Color	Black
Primary Product Material	Silicone Rubber

Usage Conditions

Operating Temperature Range	-40 – 90 °C[-40 – 194 °F]
Operating Temperature (Max)	90 °C[194 °F]

Packaging Features

Packaging Method	Bag
Packaging Quantity	5000

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
------------------------------	-----------




EU ELV Directive 2000/53/EC	Out of Scope
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	<p>Current ECHA Candidate List: JUNE 2025 (250)</p> <p>Candidate List Declared Against: JUNE 2025 (250)</p> <p>SVHC > Threshold:</p> <p>Dodecamethylcyclohexasiloxane (D6) (.5% in M-46564-1)</p> <p>Octamethylcyclotetrasiloxane (D4) (.5% in M-46564-1)</p> <p>Decamethylcyclopentasiloxane (D5) (.5% in M-46564-1)</p> <p>Article Safe Usage Statements: Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.</p>
Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 794824-1
16P MINI UMNL PLUG HSG



TE Part # 794821-1
08P MINI UMNL PLUG HSG








TE Part # 794939-1
04P MINI UMNL CAP HSG




TE Part # 794758-1
MINI UMNL WIRE SEAL,18-26AWG



Also in the Series | **Mini-Universal MATE-N-LOK**



Customers Also Bought



TE Part #103310-3
016 LOPRO HDR RA 15DP



TE Part #794772-2
02P MINI UMNL SEAL, DIE CUT



TE Part #794772-4
04P MINI UMNL SEAL, DIE CUT




TE Part #794772-6
06P MINI UMNL SEAL, DIE CUT




TE Part #794805-1
4 CIR UMNL PLUG, ROUND HOLES



TE Part #794939-1
04P MINI UMNL CAP HSG




TE Part #794940-1
06P MINI UMNL CAP HSG



TE Part #827249-2
25P MIN FEDERK GEH



TE Part #2029060-1
MINI UMNL LATCH LOCK



TE Part #098-10125
ML SENSOR 316SS STANDARD W
/MINI RCA CONN

Documents

Product Drawings

MINI UMNL CAVITY PLUG SEAL

English

CAD Files

Customer View Model

[ENG_CVM_CVM_794995-1_C.2d_dxf.zip](#)

English

3D PDF

3D

Customer View Model

[ENG_CVM_CVM_794995-1_C.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_794995-1_C.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages



SOFT_SHELL_PIN_AND_SOCKET_CONNECTORS_CATALOG

English

Product Specifications

Application Specification

English

Instruction Sheets

Instruction Sheet (U.S.)

English

Agency Approvals

Agency Approval Document

English