




Connectors > Connector Accessories > Connector Hardware



Hardware Accessory Function: **Coding & Keying**

Connector Hardware Accessory Type: **Keying Plug**

Primary Product Color: **Natural**

Operating Temperature (Max): **105 °C [221 °F]**

Operating Temperature Range: **-65 – 105 °C [-85 – 221 °F]**

Features

Product Type Features

Hardware Accessory Function	Coding & Keying
Connector Hardware Accessory Type	Keying Plug

Body Features

Primary Product Color	Natural
-----------------------	---------

Usage Conditions

Operating Temperature (Max)	105 °C[221 °F]
Operating Temperature Range	-65 – 105 °C[-85 – 221 °F]

Industry Standards

UL Flammability Rating	UL 94V-0
------------------------	----------

Packaging Features

Packaging Method	Box
Packaging Quantity	10000

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	

Current ECHA Candidate List: JUNE 2025 (250)
 Candidate List Declared Against: JUNE 2025 (250)
 Does not contain REACH SVHC

Halogen Content

Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts




TE Part # 280359
 AMPMODU II REC. HSG, SINGLE ROW, 4 POS.




TE Part # 280360
 AMPMODU II REC. HSG, SINGLE ROW 6 POS



TE Part # 284123-1
 AMPMODU II REC. HSG, DUAL ROW, 10 POS.



TE Part # 280515
 AMPMODU II REC. HSG, DUAL ROW, 24 POS.




TE Part # 281018
 AMPMODU II REC. HSG, DUAL ROW, 36 POS.



TE Part # 280514
 AMPMODU II REC. HSG, SINGLE ROW, 12 POS.



TE Part # 280366
 AMPMODU II REC. HSG DUAL ROW, 16 POS.



TE Part # 280369
 AMPMODU II REC. HSG, DUAL ROW, 44 POS.



TE Part # 280362
AMPMODU II REC. HSG, SINGLE ROW, 10 POS.



TE Part # 280361
AMPMODU II REC. HSG, SINGLE ROW 8 POS




TE Part # 280364
AMPMODU II COSI REC. HSG, SGL ROW, 22POS



TE Part # 280358
AMPMODU II REC. HSG, SINGLE ROW 2 POS



TE Part # 280513
AMPMODU II REC. HSG, DUAL ROW, 18 POS



TE Part # 280368
AMPMODU II REC. HSG, DUAL ROW, 30 POS.



TE Part # 280365
AMPMODU, DBL ROW, CONTACT REC




TE Part # 280363
AMPMODU II REC. HSG, SINGLE ROW, 15 POS.




TE Part # 280512
AMPMODU II REC. HSG, SINGLE ROW, 9 POS.

Also in the Series | **AMPMODU IV/V**



Backplane Connector Housings(1)



Board-to-Board Headers & Receptacles(143)



Connector Contacts(211)



Connector Hardware(8)



Power Contacts(171)



Rectangular Connector Housings(294)




Standard Rectangular Connectors(295)



Wire-to-Board Connector Assemblies & Housings(295)

Customers Also Bought




TE Part #F77529-000
WP-381191-5-9




TE Part #1-87499-7
10 MODIV HSG SR MRKD .100CL




TE Part #2-87631-3
28 MODIV HSG COMP DR .100 POL




TE Part #5-87631-5
70 MODIV HSG COMP DR .100 POL




TE Part #284506-7
7 POS TERMI-BLOK PLUG STACK 3,




TE Part #487223-1
010 HOUSING FFC RCPT 100CL DR




TE Part #3-6609987-1
15SRBS8-T=F8222C



TE Part #1-87756-8
MOD IV RECP LP



TE Part #CM6264-000
TTMS-MP-12.7-9



TE Part #CM6262-000
TTMS-MP-6.4-9

Documents

Product Drawings

MOD IV KEYING PLUG

English

CAD Files

3D PDF

English

Customer View Model

[ENG_CVM_87077-2_C.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_87077-2_C.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_87077-2_C.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages



[AMPMODU_INTERCONNECTION_SYSTEM_SECTION5_CONT](#)

English

[1-1773720-9_AMPMODU_MOD_IV_V_ORG](#)

English