




Connectors > Connector Accessories > Connector Seals & Cavity Plugs



Connector Seal & Plug Type: **Facial Seal**

Operating Temperature Range: **-40 – 80 °C [-40 – 176 °F]**

Primary Product Color: **Natural**

Primary Product Material: **Silicone**

Operating Temperature (Max): **80 °C [176 °F]**

Features

Product Type Features

Connector Seal & Plug Type	Facial Seal
----------------------------	-------------

Body Features

Primary Product Color	Natural
Primary Product Material	Silicone

Usage Conditions

Operating Temperature Range	-40 – 80 °C[-40 – 176 °F]
Operating Temperature (Max)	80 °C[176 °F]

Packaging Features

Packaging Method	Bag
Packaging Quantity	10000

Other

Contains Lubricant	No
--------------------	----

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold

EU REACH Regulation (EC) No. 1907/2006

Current ECHA Candidate List: JUNE 2025 (250)

Candidate List Declared Against: JUNE 2025 (250)

Does not contain REACH SVHC

Halogen Content

Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # CAT-T4827-CH8172
Timer Connector Housing




TE Part # 2-1452319-1
JPT HOUSING SEAL 6P



TE Part # CAT-LMPH9507
Low & Medium Power Header

Also in the Series | Timer Connector System



Automotive Connector Locks & Position Assurance(15)




Automotive Housings(186)




Automotive Seals & Cavity Plugs(32)



Automotive Signal & Power Connector Housings(136)



Crimp Terminal Housings(13)



Other Automotive Connector Accessories(1)

Customers Also Bought



TE Part #1-965261-1
FLACHSTE-GEH2,8 4P



TE Part #8-1333201-0
ANVIL, COMBINATION .055



TE Part #9-1879352-1
RR02 5% 1K8 AMMO



TE Part #5-1971876-4
PTL 3X4 PLUG HSG HIGH TEMP KEY
A LGR



TE Part #CAT-LMPH9507
Low & Medium Power Header



TE Part #2400920-3
CAB TIE,CLIP,70MM2



TE Part #2400921-3
SWS,HV,PCON18,70MM2 CABLE SEAL



TE Part #2400924-3
COVER,PCON18,70MM2 CABLE
COVER

Documents

Product Drawings

SEAL

English

CAD Files

3D PDF

English

Customer View Model

[ENG_CVM_963205-1_C.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_963205-1_C.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_963205-1_C.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.



Instruction Sheets

CONNECTEURS JPT ETANCHES A ETRIER POUR CONNEXIONS FIL A FIL PRECONISAT

English

Instruction Sheet (non U.S.)

English