




Connectors > Connector Accessories > Connector Seals & Cavity Plugs



Connector Seal & Plug Type: **Single Wire Seal (SWS)**

Cavity Diameter: **7.2 mm [.283 in]**

Operating Temperature Range: **-40 – 130 °C [-40 – 266 °F]**

Primary Product Color: **White**

Primary Product Material: **Silicone**

## Features

### Product Type Features

Connector Seal & Plug Type	Single Wire Seal (SWS)
----------------------------	------------------------

### Body Features

Primary Product Color	White
Primary Product Material	Silicone

### Dimensions

Cavity Diameter	7.2 mm [.283 in]
Compatible Insulation Diameter Range	3 mm [.118 in]

### Usage Conditions

Operating Temperature Range	-40 – 130 °C [-40 – 266 °F]
Operating Temperature (Max)	130 °C [266 °F]

### Other

Resistance to Hydrocarbons	Poor
Shore A Hardness	50
Contains Lubricant	Yes



## Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)


EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

## Compatible Parts

<p>TE Part # 2307193-2 1POS,FAKRA AUT,SOC INNER HSG, SLD,180 DEG</p>	<p>TE Part # 2332159-4 ZERV ANTENNA PIGTAIL (KATHREIN 19716649)</p>	 <p>TE Part # 284818-2 1 WAYS CONNECTOR F.GLOW PLUG - RED VERS.</p>	 <p>TE Part # 6-969042-6 STD PW TIMER CONTACT TYPE A</p>
--	---	--	---


TE Part # 953756-9  
47W RCPT HSG ASSY




TE Part # CAT-T4827-CH8172  
Timer Connector Housing




TE Part # 100284-1  
2P.4MM SOCK.ASS.M27



TE Part # 1-1379208-1  
26W ASSY RECEPTACLE HSG




TE Part # 953756-7  
47W RCPT HSG ASSY




TE Part # 965839-1  
4MM PIN CONTACT



TE Part # 953318-1  
1W HSG FOR DIESEL PLUG



TE Part # 1379208-3  
26W ASSY RECEPTACLE HSG



TE Part # 6-964306-6  
TAB A 5.8x0.8 CONTACT SRC



TE Part # 2-927835-1  
STD PW TIMER CONTACT



TE Part # 1-964332-2  
STD PW TIMER CONTACT TYPE A



TE Part # 2272870-2  
180 SEALED FEMALE KIT,CONN KIT




TE Part # 1-2278915-4  
EPB4 30WAY ASSEMBLY PARTS



TE Part # 4-1579007-3  
EXTRACTION TOOL KIT



TE Part # 953318-2  
1W HSG FOR DIESEL PLUG



TE Part # 1379208-4  
26W ASSY RECEPTACLE HSG

Also in the Series | **Timer Connector System**



Automotive Connector Caps & Covers (12)




Automotive Housings(186)



Automotive Signal & Power Connector Housings(136)



Automotive Signal & Power Headers(6)



Automotive Terminals(110)



Quick Disconnects(4)

## Customers Also Bought



TE Part #967011-1  
EINZELADERDICHTUNG



TE Part #2203274-8  
CAVITY INSERT ASM, INLINE FEMALE, FAKRA



TE Part #2272633-2  
CU ALLOY, OUTER FERRULE, COAX



TE Part #2289592-2  
SEAL COVER, 180 DEGREE, FAKRA




TE Part #2307193-1  
1POS, FAKRA AUT, SOC INNER HSG, SLD, 180 DEG




TE Part #2307194-2  
1POS, FAKRA AUT, SOC INNER HSG, SLD, 180 DEG




TE Part #2402264-1  
FAKRA AUT, SOC HSG, SLD, 180DEG, COD A



TE Part #2-2457773-1  
4P, MATE-AX, PIN HSG ASSY, COD A, 7MMCLIP



TE Part #1274233-2  
SPACER, RG62U



TE Part #1438808-2  
CONTACT, JACK, PLT, SNAP LOCK

## Documents

### Product Drawings

[EINZELDRAHTDICHTUNG](#)

English

### CAD Files

[3D PDF](#)

3D

### Customer View Model

[ENG\\_CVM\\_CVM\\_963244-1\\_B.2d\\_dxf.zip](#)



English

Customer View Model

[ENG\\_CVM\\_CVM\\_963244-1\\_B.3d\\_igs.zip](#)

English

Customer View Model

[ENG\\_CVM\\_CVM\\_963244-1\\_B.3d\\_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

---

## Product Specifications

Product Specification

English

[5 Position Std Power Timer Splash Proof Female Connector](#)

English

[DIESEL GLOW PLUG 1POSITION HOUSING](#)

Japanese

Product Specification

Japanese

---

## Instruction Sheets

Instruction Sheet (non U.S.)

French

Instruction Sheet (non U.S.)

French