

964972-1 ✓ ACTIVE

AMP | Timer Connector System


TE Internal #: 964972-1

1.5 mm [.06 in] Cavity Diameter, Yellow, Silicone, 1.9 – 2.1 mm [.07 – .08 in] Insulation Diameter, Timer Connector System

[View on TE.com >](#)



Connectors > Connector Accessories > Connector Seals & Cavity Plugs



Cavity Diameter: 1.5 mm [.06 in]

Primary Product Color: Yellow

Primary Product Material: Silicone

Compatible Insulation Diameter Range: 1.9 – 2.1 mm [.07 – .08 in]

Shore A Hardness: 50

Features

Body Features

Primary Product Color	Yellow
Primary Product Material	Silicone

Dimensions

Cavity Diameter	1.5 mm [.06 in]
Compatible Insulation Diameter Range	1.9 – 2.1 mm [.07 – .08 in]

Other

Shore A Hardness	50
Contains Lubricant	Yes

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold



EU REACH Regulation (EC) No. 1907/2006

Current ECHA Candidate List: JUNE 2025 (250)

Candidate List Declared Against: JUNE 2025 (250)

Does not contain REACH SVHC

Halogen Content

Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 2098641-7
2POS, MCON 1.2 CB REC 2p SL SEALED



TE Part # CAT-AM705-CH8172
AMP MCP, SEALED CONNECTOR HOUSING



TE Part # 1418885-3
AMP MCP 1.5K, CONTACT, SWS, (LP)



TE Part # 2098559-7
6POS, MCON 1.2 CB REC 2p TL SEALED



TE Part # 1743632-2
HYB SLD 36P PLUG ASSY



TE Part # 1746894-5
MT2 RD SEAL 2POSN PLUG HSG ASSY



TE Part # 1-1456426-8
4 Pos Sld 1.2mm cln body MCON Key D CPA



TE Part # 1-284716-1
6 POS REC. CONNECTOR FOR EGR V D CPA




TE Part # 1-284716-7
6 POS REC. CONNECTOR FOR MTII



TE Part # 1-284716-2
6 POS REC. CONNECTOR FOR EGAS



TE Part # 2306960-1
3POS,AMP MCP 1.5K,REC HSG ASSY, SLD,COD A



TE Part # 2299987-3
65W PLUG ASSEMBLY



TE Part # 4-2098559-1
6P,FML,1.2,CB,MCON,STD,KEYA,T4,w /LgCPA



TE Part # 4-2098557-2
2P,FML,1.2,CB,MCON,T4,STD,KEYB,w /LgCPA



TE Part # 2098559-8
6POS, MCON 1.2 CB REC 2p TL SEALED



TE Part # 1-2370720-1
2POS,1.6X0.6,TAB HSG ASSY,SLD, COD A



TE Part # 1-1394416-1
MT2,FL-KONTGEH 2X4P



TE Part # 1-1670915-1
2POS, MCON 1.2 LL REC SEALED



TE Part # CAT-L489-CH8172
LEAVYSEAL Connector Housings



TE Part # 1-1897725-3
MT-2 SLD 10 CAP HSG GRV

Also in the Series | **Timer Connector System**



Automotive Connector Caps & Covers (12)



Automotive Housings(186)



Automotive Signal & Power Connector Housings(136)



Automotive Signal & Power Headers(6)




Automotive Terminals(110)



Quick Disconnects(4)

Customers Also Bought



Documents

Product Drawings

EINZELLEITERDICHTUNG

English

CAD Files

Customer View Model

[ENG_CVM_964972-1_A1.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_964972-1_A1.3d_stp.zip](#)

English

Customer View Model

[ENG_CVM_964972-1_A1.2d_dxf.zip](#)

English

3D PDF

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

HDSCS CAN Bus Y-Connector and 120 Resistor Brochure

English

HDSCS Catalog

English

CONNECTOR SELECTOR

English

Agency Approvals

964972-1

1.5 mm [.06 in] Cavity Diameter, Yellow, Silicone, 1.9 – 2.1 mm [.07 – .08 in] Insulation Diameter, Timer Connector System



[UL](#)

English