

967652-1 ✓ ACTIVE

**MQS | Micro Power Quadlock**


TE Internal #: 967652-1

Cavity Blanking Plug, 8.5 mm [.334 in] Cavity Diameter, -40 – 130 °C [-40 – 266 °F], Natural, Silicone, Micro Power Quadlock

[View on TE.com >](#)



Connectors > Connector Accessories > Connector Seals & Cavity Plugs



Connector Seal & Plug Type: **Cavity Blanking Plug**

Cavity Diameter: **8.5 mm [.334 in]**

Operating Temperature Range: **-40 – 130 °C [-40 – 266 °F]**

Primary Product Color: **Natural**

Primary Product Material: **Silicone**

## Features

### Product Type Features

Connector Seal & Plug Type	Cavity Blanking Plug
----------------------------	----------------------

### Body Features

Primary Product Color	Natural
Primary Product Material	Silicone

### Dimensions

Cavity Diameter	8.5 mm[.334 in]
Compatible Insulation Diameter Range	9.5 mm[.374 in]

### Usage Conditions

Operating Temperature Range	-40 – 130 °C[-40 – 266 °F]
Operating Temperature (Max)	130 °C[266 °F]

### Other

Resistance to Hydrocarbons	Poor
Shore A Hardness	50
Contains Lubricant	No



## Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

## Compatible Parts



TE Part # 2304643-3  
27POS, HYBRID, REC HSG ASSY, SLD



TE Part # 967607-1  
PQ EINZELLEITDICHTG



TE Part # 2304643-1  
49POS, HYBRID, REC HSG ASSY, SLD



TE Part # 9-2209520-9  
46POS. REC HOUSING ASSY, CODA A




TE Part # CAT-L489-CH8172  
LEAVYSEAL Connector Housings



TE Part # 2209520-6  
46POS. REC HOUSING ASSY



TE Part # 9-2208656-9  
58POS, MCON 1.2 CB, REC HSG, ASSY



TE Part # 1-2112502-1  
38POS, MIXED, REC HSG, ASSY, SEALED



TE Part # 2301461-2  
30POS, HYBRID, TAB HSG ASSY, SLD, COD B



TE Part # 2304643-4  
60POS, AMP MCP 2.8, REC HSG ASSY, SLD



TE Part # 2301461-1  
30POS, HYBRID, TAB HSG ASSY, SLD, COD A



TE Part # 2301462-1  
30POS, HYBRID, REC HSG ASSY, SLD, COD A



TE Part # 2304643-2  
38POS, HYBRID, REC HSG ASSY, SLD

Also in the Series | **Micro Power Quadlock**



Automotive Seals & Cavity Plugs(5)



Automotive Terminals(13)



Connector Seals & Cavity Plugs(5)



Insertion & Extraction Tools(1)

Customers Also Bought



TE Part #DT04-08PA-L022  
REC, 8P, GRY, N, FLANGE, A



TE Part #63933-1  
PL .250 TERMINAL REC 22-18 AWG BR




TE Part #1394512-1  
EINZELLEITDICHTG, BL



TE Part #1719102-1  
PCB 6.3 TERMINAL SN




TE Part #1823111-1  
SINGLE WIRE SEAL, FOR WIRE 2.5  
SQMM, BN



TE Part #2208856-1  
RETAINER, FOR AMP MCP2.8




TE Part #2301462-1  
30POS, HYBRID, REC HSG ASSY, SLD,  
COD A



TE Part #2480467-1  
2POS, TAB5.8X0.8, HDR ASSY, 90DEG,  
SLDR



TE Part #1743424-1  
2.8MM MCP-E N-SLD TAB(M) CONT



TE Part #2410158-1  
2POS, CSJ1200, HDR ASSY

## Documents

### Product Drawings

[PQ BLINDSTOPFEN 8,5](#)

English

[PQ BLINDSTOPFEN 8,5](#)

English

### CAD Files

[3D PDF](#)

3D

Customer View Model

[ENG\\_CVM\\_CVM\\_967652-1\\_B.2d\\_dxf.zip](#)

English

Customer View Model

[ENG\\_CVM\\_CVM\\_967652-1\\_B.3d\\_igs.zip](#)

English

Customer View Model

[ENG\\_CVM\\_CVM\\_967652-1\\_B.3d\\_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

### Datasheets & Catalog Pages

[HDSCS Catalog](#)

English

[CONNECTOR SELECTOR](#)

English