

**IE-PI-SCRJ-POF**

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany

www.weidmueller.com



FO SC inserts for plug-in connectors ver.1 / 4 / 14

**General ordering data**

Version	SC insert, Plug SCRJ, POF
Order No.	<a href="#">1067410000</a>
Type	IE-PI-SCRJ-POF
GTIN (EAN)	4032248820870
Qty.	10 ST

## IE-PI-SCRJ-POF

Weidmüller Interface GmbH &amp; Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Technical data

## Approvals

Approvals



ROHS Conform

UL File Number Search [UL Website](#)

Certificate No. (UL) E477798

## Dimensions and weights

Depth	56 mm	Depth (inches)	2.2047 inch
Height	10.5 mm	Height (inches)	0.4134 inch
Width	13.2 mm	Width (inches)	0.5197 inch
Net weight	18.7 g		

## Temperatures

Storage temperature	Operating temperature	-40 °C...70 °C
Installation temperature		

## Environmental Product Compliance

RoHS Compliance Status	Compliant
REACH SVHC	Lead 7439-92-1
SCIP	67cf1078-beca-4687-860b-dc475a6ec24a

## General data

Description of article	Plug SCRJ, POF	Colour	Miscellaneous
Housing main material	Zinc diecast, PA	Protection degree	IP67 with housing
Plugging cycles	1000	Configuration	Connector and flange insert for variant 1, 4 and 14 housings
Fibre type	POF	Insertion loss	≤ 1.0 dB
Connection 1	SCRJ	Connection 2	Crimp
Ferrule material	Arcap		

## General standards


Connector standard	IEC 61754-24	Certificate No. (UL)	E477798
--------------------	--------------	----------------------	---------

## Classifications

ETIM 6.0	EC001122	ETIM 7.0	EC001122
ETIM 8.0	EC001122	ETIM 9.0	EC001122
ETIM 10.0	EC001122	ECLASS 9.0	19-17-01-22
ECLASS 9.1	19-17-01-22	ECLASS 10.0	19-17-01-22
ECLASS 11.0	19-17-01-22	ECLASS 12.0	19-17-01-22
ECLASS 13.0	19-17-01-22	ECLASS 14.0	19-17-01-22
ECLASS 15.0	19-17-01-22		

Drawings

Dimensioned drawing



## IE-PI-SCRJ-POF

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 26  
 D-32758 Detmold  
 Germany

www.weidmueller.com

## Accessories

## LWL-SC

FO SC inserts for plug-in connectors ver.1 / 4 / 14



## General ordering data

Type	IE-SCRJ-IP67-POF-100	Version	
Order No.	<a href="#">1278430000</a>	FO connector, Replacement crimp barrel, IP67 with housing	
GTIN (EAN)	4050118069136		
Qty.	100 ST		

## Crimp Sets

Crimp sets



## General ordering data

Type	TOOL SET IE-POF	Version	
Order No.	<a href="#">1208930000</a>	Crimping tool: HTX-IE-POF, Stripping tool: Multi-Stripax IE-POF	
GTIN (EAN)	4032248990283		
Qty.	1 ST		

## ...for fibre-optic cable with polymer optical fibres (POF)

Crimping and stripping tools for processing the fibre-optic-cable contacts of polymer optical fibres (POF)



## General ordering data

Type	HTX-IE-POF	Version	
Order No.	<a href="#">1208870000</a>	Pressing tool	
GTIN (EAN)	4032248990269		
Qty.	1 ST		

**Accessories**

**...for fiber-optic connectors SC, ST & LC**



**GOF**

- For fibre-optic SC/ST, IP 20 and IP 67 connectors
- For fibre-optic LC and IP 67 connectors

**POF**

- For polymer fibre-optic SC/ST, IP 20 and IP 67 connectors
- For fibre-optic, Profinet and Mobil cable SC/ST and IP 67 connectors

**General ordering data**

Type	IE-CT-SC-GOF	Version	
Order No.	<a href="#">9205320000</a>	Pressing tool, Hexagonal crimp	
GTIN (EAN)	4032248725458		
Qty.	1 ST		
Type	IE-CT-SC-GOF-P	Version	
Order No.	<a href="#">9205350000</a>	Pressing tool, Hexagonal crimp	
GTIN (EAN)	4032248725489		
Qty.	1 ST		