




Terminals & Splices > Quick Disconnects



Quick Disconnect Terminal Type: **Receptacle**

Wire Size: **.51 – 1.03 mm<sup>2</sup>**

Mating Tab Width: **2.8 mm [.11 in]**

Mating Tab Thickness: **.51 mm [.02 in]**

## Features

### Product Type Features

Insertion Force	Normal
-----------------	--------

### Configuration Features

Compatible With Wire & Cable Type	Discrete Wire
Connection Capacity	Single

### Contact Features

Quick Disconnect Terminal Type	Receptacle
Mating Tab Width	2.8 mm [.11 in]
Mating Tab Thickness	.51 mm [.02 in]
Terminal Orientation	Straight
Contact Base Material	Brass
Terminal Plating Material	Tin
Crimp Type	F-Crimp
Barrel Type	Open

### Termination Features

--	--



Product Terminates To	Wire & Cable
-----------------------	--------------

### Mechanical Attachment

Wire Insulation Support	With
Mating Retention Type	Dimple

### Dimensions

Product Length	14 mm[.551 in]
Compatible Insulation Diameter Range	2.03 – 3 mm[.08 – .118 in]
Terminal Material Thickness	.25 mm[.01 in]
Wire Size	.51 – 1.03 mm <sup>2</sup>

### Usage Conditions

Insulation Option	Uninsulated
Operating Temperature Range	-40 – 110 °C[-40 – 230 °F]

### Industry Standards

Compatible With Agency/Standards Products	CSA, UL
---	---------

### Packaging Features

Packaging Quantity	10000
Packaging Method	Strip/Reel

### Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer



This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

## Compatible Parts



TE Part # 2150203-2  
OCEAN\_2.0\_APPLICATOR-E-070F120FA-REA




TE Part # 160597-4  
110 FASTON,REC.,30-26 AWG,TPBR



TE Part # 2150203-1  
OCEAN\_2.0\_APPLICATOR-E-070F120F-REM



TE Part # 151614-1  
110 MINI FASTON,REC.,24-20 AWG,PTBR



**KIT**  
REPRESENTATION ONLY

TE Part # 7-2150203-7  
OCEAN\_2.0\_SPARE\_PART\_KIT-070F120F



TE Part # 444149-2  
.110S FASTON REC



TE Part # 737107-1  
110 FASTON REC 20-17 AWG BR



TE Part # 881608-1  
110 FASTON REC 20-17 AWG BR



TE Part # 63202-2  
110 FASTON REC 18-14 AWG TPBR



TE Part # 881608-2  
.110 S. FASTON REC.

Also in the Series | **FASTON 110**



Crimp Terminal Housings(13)



Insertion & Extraction Tools(1)




PCB Terminals(22)




Quick Disconnects(164)

## Customers Also Bought




TE Part #63951-1  
250 FASTON TAB TPBR



TE Part #172520-8  
8P 2.5MM MINI AMP-IN HDR HSG



TE Part #172782-7  
LOW PROFILE MINI AMP-IN



TE Part #926476-7  
MOD 4 HSG



TE Part #1-1623927-3  
CFR16 5% 150R



TE Part #4-1625885-3  
1W SM M/OX 5% 220K



TE Part #4-1625890-3  
2W SM M/OX 5% 33R



TE Part #2-1658528-4  
636-0641LSLF FEMALE SOCKET CON



TE Part #2351456-1  
SMINSA SW 18UPLV 1.47N 5A/3A AC 3A DC SP



TE Part #2358962-1  
MOD II PIN, PRE-TIN PLATED, 21.6mm

## Documents

### Product Drawings

110 FASTON,REC.,20-17 AWG,BR

English

### CAD Files

3D PDF

3D

### Customer View Model

ENG\_CVM\_CVM\_160484-4\_AY\_c-160484-4\_ay.2d\_dxf.zip



English

**Customer View Model**

[ENG\\_CVM\\_CVM\\_160484-4\\_AY\\_c-160484-4-ay.3d\\_igs.zip](#)

English

**Customer View Model**

[ENG\\_CVM\\_CVM\\_160484-4\\_AY\\_c-160484-4-ay.3d\\_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

---

**Product Specifications**

[Application Specification](#)

English

---

**Agency Approvals**

[UL Report](#)

English