

165536-1 ✓ ACTIVE

**FASTON**


TE Internal #: 165536-1

Quick Disconnect Receptacle, Partially Insulated, 15.5 – 13.5 AWG,  
1.5 – 2.5 mm<sup>2</sup> Wire, 3000 – 4919 CMA, 6.35 mm [.25 in] Tab Width,  
Compression Crimp

[View on TE.com >](#)



Terminals & Splices > Quick Disconnects



Quick Disconnect Terminal Type: **Receptacle**

Wire Size: **3000 – 4919 CMA**

Mating Tab Width: **6.35 mm [.25 in]**

**Features**

**Product Type Features**

Insertion Force	Normal
-----------------	--------

**Contact Features**

Quick Disconnect Terminal Type	Receptacle
Mating Tab Width	6.35 mm [.25 in]
Mating Tab Thickness	.81 mm [.032 in]
Terminal Orientation	Straight
Contact Base Material	Brass
Terminal Plating Material	Tin
Crimp Type	Compression Crimp
Barrel Type	Closed

**Termination Features**

Product Terminates To	Wire & Cable
-----------------------	--------------

**Dimensions**

Compatible Insulation Diameter Range	4.83 mm [.19 in]
Wire Size	3000 – 4919 CMA



**Usage Conditions**

Insulation Option	Partially Insulated
-------------------	---------------------

**Packaging Features**

Packaging Method	Loose Piece
------------------	-------------

**Product Compliance**

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

**Compatible Parts**

TE Part # 2-165536-2  
PIDG BLUE POSI-LOK250X032,TAPE

TE Part # 2323802-8  
SSRMP-240D16R = Mini Puck,16A, 240V AC,R

TE Part # 2392022-2  
BLUE BATTERY DAHT KIT 220V (47387-7)

TE Part # 1-2323802-2  
SSRMP-480D16R = Mini Puck,16A, 480V AC,R



### Customers Also Bought



### Documents



## Product Drawings

### PIDG POS.LOCK ASSY

English

## CAD Files

### 3D PDF

English

### Customer View Model

[ENG\\_CVM\\_165536-1\\_E2.2d\\_dxf.zip](#)

English

### Customer View Model

[ENG\\_CVM\\_165536-1\\_E2.3d\\_igs.zip](#)

English

### Customer View Model

[ENG\\_CVM\\_165536-1\\_E2.3d\\_stp.zip](#)

English

### 3D PDF

3D

### Customer View Model

[ENG\\_CVM\\_CVM\\_165536-1\\_D.2d\\_dxf.zip](#)

English

### Customer View Model

[ENG\\_CVM\\_CVM\\_165536-1\\_D.3d\\_igs.zip](#)

English

### Customer View Model

[ENG\\_CVM\\_CVM\\_165536-1\\_D.3d\\_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

## Datasheets & Catalog Pages

### PIDG\_FASTON

English

### Ultra-Fast and Ultra Fast Plus

English