

1742087-2 ✓ ACTIVE

FASTON | FASTON 187


TE Internal #: 1742087-2

Quick Disconnect Receptacle, Uninsulated, 22 – 18 AWG, .32 – .82 mm<sup>2</sup> Wire, 4.75 mm [.187 in] Tab Width, F-Crimp, Flag, Brass, Tin Plating, FASTON 187

[View on TE.com >](#)



Terminals & Splices > Quick Disconnects



Quick Disconnect Terminal Type: **Receptacle**

Wire Size: .32 – .82 mm<sup>2</sup>

Mating Tab Width: 4.75 mm [.187 in]

Mating Tab Thickness: .81 mm [.032 in]

## Features

### Product Type Features

Insertion Force	Low
-----------------	-----

### Configuration Features

Compatible With Wire & Cable Type	Discrete Wire
-----------------------------------	---------------

Connection Capacity	Single
---------------------	--------

### Contact Features

Quick Disconnect Terminal Type	Receptacle
--------------------------------	------------

Mating Tab Width	4.75 mm [.187 in]
------------------	-------------------

Mating Tab Thickness	.81 mm [.032 in]
----------------------	------------------

Terminal Orientation	Flag
----------------------	------

Contact Base Material	Brass
-----------------------	-------

Terminal Plating Material	Tin
---------------------------	-----

Crimp Type	F-Crimp
------------	---------

Barrel Type	Open
-------------	------

### Termination Features



Product Terminates To	Wire & Cable
-----------------------	--------------

### Mechanical Attachment

Wire Insulation Support	With
Mating Retention Type	Dimple

### Dimensions

Product Length	11.3 mm[.444 in]
Compatible Insulation Diameter Range	1.52 – 2.8 mm[.06 – .11 in]
Terminal Material Thickness	.33 mm[.013 in]
Wire Size	.32 – .82 mm <sup>2</sup>

### Usage Conditions

Insulation Option	Uninsulated
Operating Temperature Range	-40 – 110 °C[-40 – 230 °F]

### Industry Standards

Compatible With Agency/Standards Products	UL
---	----

### Packaging Features

Packaging Quantity	15000
Packaging Method	Strip/Reel

### Other

Line	Budget
------	--------

## Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

### Compatible Parts



**KIT**  
REPRESENTATION ONLY

TE Part # 7-2150447-7  
[OCEAN\\_2.0\\_SPARE\\_PART\\_KIT-070F110OV](#)



TE Part # 626481-2  
[FASTON 110 FLAG REC 0.5-1.5 MM2 TPBR](#)



TE Part # 2150447-2  
[OCEAN\\_2.0\\_Applicator-E-070F110OV-SEA](#)



TE Part # 2150397-1  
[OCEAN\\_2.0\\_Applicator-E-070F140O-SEM](#)



TE Part # 881006-2  
[.375 FASTON FLAG RE](#)



**KIT**  
REPRESENTATION ONLY

TE Part # 7-2150397-7  
[OCEAN\\_2.0\\_SPARE\\_PART\\_KIT-180F250F](#)




TE Part # 2150397-2  
[OCEAN\\_2.0\\_Applicator-E-070F140O-A-SEA](#)



TE Part # 2150447-1  
[OCEAN\\_2.0\\_Applicator-E-070F110OV-SEM](#)

### Also in the Series | FASTON 187



Crimp Terminal Housings(40)



Insertion & Extraction Tools(1)



Insulation Boots & Sleeves(1)




PCB Terminals(42)




Quick Disconnects(204)


## Customers Also Bought



TE Part #154717-6  
PL 250 REC TERMINAL 14-11 AWG  
PTPB



TE Part #170032-2  
250 FASTON, REC., 20-14 AWG, BR



TE Part #170376-1  
AMP EI PIN CONTACT



TE Part #179975-1  
250 PL EX REC. 15-10AWG PTBR



TE Part #794279-1  
12P UMNL INTERFACE SEAL



TE Part #925076  
4W CIRCULAR MATE-N-LOK SOCKET  
HSG NAT



TE Part #1742883-1  
187 FASTON, REC., 20-16 AWG, NPST



TE Part #2008625-1  
Socket Micro MNL, TIN 22-18 AW



TE Part #2321918-2  
PLUG HOUSING SDL2.5  
WATERPROOF 2PIN



TE Part #2391516-3  
POWER DOUBLE LOCK PLUG  
HOUSING, 3P

## Documents

### Product Drawings

[187 FASTON, FLAG, REC., 18-22 AWG, TPBR](#)

English

### CAD Files

Customer View Model

[ENG\\_CVM\\_CVM\\_1742087-2\\_F.2d\\_dxf.zip](#)

English

[3D PDF](#)



3D

Customer View Model

[ENG\\_CVM\\_CVM\\_1742087-2\\_F.3d\\_igs.zip](#)

English

Customer View Model

[ENG\\_CVM\\_CVM\\_1742087-2\\_F.3d\\_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

---

### Datasheets & Catalog Pages

[82004 FASTON Terminals \(Insulated and Uninsulated\) Catalog - FASTON Receptacles Section](#)

English

---

### Product Specifications

[Application Specification](#)

English

---

### Agency Approvals

[UL Report](#)

English