

179975-1 ✓ ACTIVE

Positive Lock | Positive Lock 250

TE Internal #: 179975-1

Quick Disconnect Receptacle, Uninsulated, 15 – 10 AWG, 1.65 – 5.26 mm<sup>2</sup> Wire, 6.35 mm [.25 in] Tab Width, F-Crimp, Straight, Brass, Positive Lock 250

[View on TE.com >](#)



Terminals & Splices > Quick Disconnects



Quick Disconnect Terminal Type: **Receptacle**

Wire Size: 1.65 – 5.26 mm<sup>2</sup>

Mating Tab Width: 6.35 mm [.25 in]

Mating Tab Thickness: .81 mm [.032 in]

## Features

### Product Type Features

Insertion Force	Low
-----------------	-----

### Configuration Features

Compatible With Wire & Cable Type	Discrete Wire
Connection Capacity	Single

### Contact Features

Quick Disconnect Terminal Type	Receptacle
Mating Tab Width	6.35 mm [.25 in]
Mating Tab Thickness	.81 mm [.032 in]
Terminal Orientation	Straight
Contact Base Material	Brass
Terminal Plating Material	Pre-Tin
Crimp Type	F-Crimp
Barrel Type	Open

### Termination Features

--	--



Product Terminates To	Wire & Cable
-----------------------	--------------

### Mechanical Attachment

Wire Insulation Support	With
Mating Retention Type	Dimple
Extraction Force	.7 – 10.2 kgf

### Dimensions

Product Length	21.2 mm [.834 in]
Compatible Insulation Diameter Range	3 – 4.3 mm [.118 – .169 in]
Terminal Material Thickness	.41 mm [.016 in]
Wire Size	1.65 – 5.26 mm <sup>2</sup>

### Usage Conditions

Insulation Option	Uninsulated
Operating Temperature Range	-40 – 110 °C [-40 – 230 °F]

### Industry Standards

Compatible With Agency/Standards Products	UL
---	----

### Packaging Features

Packaging Quantity	4000
Packaging Method	Strip/Reel

## Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>


## Compatible Parts



TE Part # 2150062-2  
OCEAN\_2.0\_Applicator-E-150F220F-REA




TE Part # 1-1318954-1  
PL EXII 250 REC HSG 1P NYLON NAT




TE Part # 179970-9  
PL EXII 250 REC HSG 1P NYLON BLACK




TE Part # 179970-1  
250 HSG. PL EX REC.




TE Part # 179970-6  
PL EXII 250 REC HSG 1P NYLON BLUE



TE Part # 179970-4  
PL EXII 250 REC HSG 1P NYLON YELLOW



TE Part # 1-1318954-6  
PL EXII 250 REC HSG 1P NYLON BLUE




TE Part # 2509918-1  
250 PL EX HSG.,REC.,1P,NATURAL



TE Part # 179970-2  
PL EXII 250 REC HSG 1P NYLON RED




TE Part # 3-179970-1  
PL EXII 250 REC HSG 1P NYLON NAT WITH



TE Part # 1318954-1  
250 HSG. PL EX REC. NAT




TE Part # 1939581-1  
250 HSG. PL EX REC. 15mm 2P NAT




**KIT**  
REPRESENTATION ONLY

TE Part # 7-2150062-7  
OCEAN\_2.0\_SPARE\_PART\_KIT-150F220F

## Also in the Series | Positive Lock 250



Automotive Terminals(1)



Crimp Terminal Housings(176)



Insertion & Extraction Tools(3)



Insulation Boots & Sleeves(5)



Quick Disconnects(171)


## Customers Also Bought




TE Part #41802  
250 FASTON FLAG REC 18-12 AWG  
TPBR




TE Part #42563-9  
250 FASTON FLAG REC 12-10 AWG  
NPST




TE Part #170213-1  
250 FASTON,REC.,18-14 AWG,BR




TE Part #172520-4  
LOW PRO MINI AMP-IN HDR 4P




TE Part #172520-9  
9P 2.5MM MINI AMP-IN HDR HSG



TE Part #176773-5  
FF 250 CAP HSG 3P NYLON NAT




TE Part #176774-5  
FF 250 PLUG HSG 3P NYLON NAT



TE Part #179970-6  
PL EXII 250 REC HSG 1P NYLON BLUE



TE Part #1971031-1  
Receptacle contact for GIC 2.0



TE Part #2013799-1  
250 HSG. PL EX REC. BLACK



## Documents

### Product Drawings

[250 PL EX REC. 15-10AWG PTBR](#)

Japanese

---

### CAD Files

[3D PDF](#)

3D

Customer View Model

[ENG\\_CVM\\_CVM\\_179975-1\\_G1.2d\\_dxf.zip](#)

English

Customer View Model

[ENG\\_CVM\\_CVM\\_179975-1\\_G1.3d\\_igs.zip](#)

English

Customer View Model

[ENG\\_CVM\\_CVM\\_179975-1\\_G1.3d\\_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

---

### Product Specifications

[Application Specification](#)

English

---

### Agency Approvals

[UL Report](#)

English