

42067-1 ✓ ACTIVE

FASTON | FASTON 110


TE Internal #: 42067-1

Quick Disconnect Receptacle, Uninsulated, 24 – 22 AWG, .2 – .35 mm² Wire, 404 – 643 CMA, 2.8 mm [.11 in] Tab Width, F-Crimp, Straight, FASTON 110

[View on TE.com >](#)



Terminals & Splices > Quick Disconnects



Quick Disconnect Terminal Type: **Receptacle**

Wire Size: **404 – 643 CMA**

Mating Tab Width: **2.8 mm [.11 in]**

Features

Configuration Features

Compatible With Wire & Cable Type	Discrete Wire
Connection Capacity	Single

Contact Features

Quick Disconnect Terminal Type	Receptacle
Mating Tab Width	2.8 mm [.11 in]
Mating Tab Thickness	.51 mm [.02 in]
Terminal Orientation	Straight
Contact Base Material	Brass
Terminal Plating Material	Tin
Crimp Type	F-Crimp
Barrel Type	Open

Termination Features

Product Terminates To	Wire & Cable
-----------------------	--------------

Mechanical Attachment

Wire Insulation Support	With
-------------------------	------



Mating Retention Type Dimple

Dimensions

Product Length	16.13 mm [.635 in]
Compatible Insulation Diameter Range	1.01 – 1.52 mm [.04 – .06 in]
Terminal Material Thickness	.25 mm [.01 in]
Wire Size	404 – 643 CMA

Usage Conditions

Insulation Option	Uninsulated
Operating Temperature Range	-40 – 105 °C [-40 – 221 °F]

Industry Standards

Compatible With Agency/Standards Products	UL
---	----

Packaging Features

Packaging Quantity	20000
Packaging Method	Reel

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits

as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

TE Part # 2150043-1
OCEAN_2.0_Applicator-E-062F0700-REM

KIT
REPRESENTATION ONLY

TE Part # 7-2150043-7
OCEAN_2.0_SPARE_PART_KIT-062F0700

TE Part # 2150043-2
OCEAN_2.0_Applicator-E-062F0700-REA

TE Part # 2063846-1
CCII 110 FASTON REC 24-18 ASSY

Also in the Series | FASTON 110

Crimp Terminal Housings(13)

Insertion & Extraction Tools(1)

PCB Terminals(22)

Quick Disconnects(164)

Customers Also Bought

TE Part #EH2288-000
DWFR-3/1-0-STK

TE Part #CAT-P592-F614
PIDG Flanged Spade Tongue Terminals

TE Part #32860
TERMINAL,BUDG R 26-22 10

TE Part #1-1609117-6
6EHG8-2=F8291

Was called: SDE PEW 12
Now renamed to: SDE SA (no other physical changes)

TE Part #2063625-1
SDE MCP6.3 0.2-1.0mm2 ASSY

TE Part #5749190-1
20 50SR KIT,ST,UK

TE Part #5749621-2
26 50S CABLE PLUG CONN/COV KIT

TE Part #514956-1
HOT STAMPING FOIL WHITE 122X28MM



TE Part #826884-3
HOUSING.

Documents

Product Drawings

[110 FATON REC 24-22 AWG TPBR](#)

English

CAD Files

Customer View Model

[ENG_CVM_CVM_42067-1_BK.2d_dxf.zip](#)

English

[3D PDF](#)

3D

Customer View Model

[ENG_CVM_CVM_42067-1_BK.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_42067-1_BK.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[82004 FASTON Terminals \(Insulated and Uninsulated\) Catalog - FASTON Receptacles Section](#)

English

Product Specifications

[Application Specification](#)

English

Agency Approvals

[UL Report](#)

English

[UL Report](#)

English