

42547-2 ✓ ACTIVE


TE Internal #: 42547-2

Closed Ring Tongue Terminal, 26 – 22 AWG, #4 / M2.5 Stud, 3.02 mm [.119 in] Stud Diameter, Open Barrel, Straight, Tin Plating, Uninsulated

[View on TE.com >](#)



Terminals & Splices > Ring Terminals



Ring Terminal Product Type: Closed Ring Tongue Terminal

Wire Size: 254 – 642 CMA

Stud Size: #4, M2.5

Features

Product Type Features

| | |
|--|-----------------------------|
| Shape Description | Circular/Oval |
| Ring Terminal Product Type | Closed Ring Tongue Terminal |
| Stud Size | #4, M2.5 |
| Sealable | No |
| Compatible With Discrete Wire Type | Stranded |
| Wire Insulation Support Retention Type | Insulation Support |

Configuration Features

| | |
|-----------------|---|
| Number of Holes | 1 |
|-----------------|---|

Body Features

| | |
|----------------|------|
| Product Weight | .1 g |
|----------------|------|

Contact Features

| | |
|-------------------------------|----------|
| Contact Base Material | Brass |
| Barrel Type | Open |
| Terminal Orientation | Straight |
| Terminal Plating Material | Tin |
| Contact Underplating Material | Nickel |



Mechanical Attachment

| | |
|-------------------------|------|
| Wire Insulation Support | With |
|-------------------------|------|

Dimensions

| | |
|--------------------------------------|-----------------------------------|
| | .04 in |
| Wire Size | 254 – 642 CMA |
| Stud Diameter | 3.02 mm [.119 in] |
| Tongue Thickness | .36 mm [.014 in] |
| Product Length | 19.56 mm [.77 in] |
| Barrel Inside Diameter | .76 mm, 1.27 mm [.03 in] [.05 in] |
| Compatible Insulation Diameter (Max) | 1.52 mm [.06 in] |
| Compatible Insulation Diameter Range | 1.02 – 1.52 mm [.04 – .06 in] |

Usage Conditions

| | |
|-----------------------------|-------------------------|
| Insulation Option | Uninsulated |
| Operating Temperature Range | 0 – 110 °C [0 – 230 °F] |

Operation/Application

| | |
|------------------------------------|--------|
| Compatible With Wire Base Material | Copper |
|------------------------------------|--------|

Industry Standards

| | |
|-------------------------------|----|
| Government Qualified Terminal | No |
|-------------------------------|----|

Packaging Features

| | |
|--------------------|------------|
| Packaging Quantity | 20000 |
| Packaging Method | Strip/Reel |

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

| | |
|---|---|
| EU RoHS Directive 2011/65/EU | Compliant |
| EU ELV Directive 2000/53/EC | Compliant |
| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold |
| EU REACH Regulation (EC) No. 1907/2006 | Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) Does not contain REACH SVHC |
| Halogen Content | Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC |

| | |
|---------------------------|--|
| | Free |
| Solder Process Capability | Not applicable for solder process capability |

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 2150236-2
OCEAN_2.0_APPLICATOR-E-062F090F-REA



TE Part # 2150236-1
OCEAN_2.0_APPLICATOR-E-062F090F-REM



TE Part # 7-2150236-7
OCEAN_2.0_SPARE_PART_KIT-062F090F


Customers Also Bought



TE Part #839164-E
IDCCS SRC 1,27 10 * SFX SFX 300 PVC



TE Part #63138-1
110 FASTON REC 22-18 AWG TPBR



TE Part #324484
SPARE WIRE CAP,NAT .048-.075 INS.




TE Part #770902-1
MINI UMNL SOCK 26-22 AWG SN



TE Part #1-2119582-9
Crimper, Insulation F Premium



TE Part #1-2273107-1
M12 Y conn Male to 2xM12 Female A



TE Part #2378282-1
STD TIMER CONTACT



TE Part #2299281-2
POD-LOK 250 FLAG RCPT.AWG 22-18 PTPBR



Documents

Product Drawings

RING 26-22 AWG TPBR

English

CAD Files

3D PDF

3D

Customer View Model

[ENG_CVM_CVM_42547-2_U_c-42547-2-u.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_42547-2_U_c-42547-2-u.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_42547-2_U_c-42547-2-u.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

Engineering Report

English

Agency Approvals

UL Report

English