

61664-1 ✓ ACTIVE

FASTON | FASTON 187

TE Internal #: 61664-1


Tab PCB Terminal, 4.75 mm [.187 in] Tab Width, 4.34 mm [.171 in]

PCB Hole, Through Hole - Screw, Tin Plating, Bag, FASTON 187

[View on TE.com >](#)



Terminals & Splices > PCB Terminals



PCB Terminal Type: **Tab**

Mating Tab Width: **4.75 mm [.187 in]**

Mating Tab Thickness: **.51 mm [.02 in]**

PCB Hole Diameter: **4.34 mm [.171 in]**

Profile Height from PCB: **5.85 mm [.23 in]**

Features

Product Type Features

| | |
|-------------------|-----------|
| Terminal Features | Stud Hole |
|-------------------|-----------|

Contact Features

| | |
|---|------------------|
| Contact Mating Area Plating Material Thickness | 1.01 µm[40 µin] |
| PCB Contact Termination Area Plating Material Thickness | 1.01 µm[40 µin] |
| Terminal Plating Finish | Matte |
| PCB Terminal Type | Tab |
| Mating Tab Width | 4.75 mm[.187 in] |
| Mating Tab Thickness | .51 mm[.02 in] |
| Terminal Plating Material | Tin |
| Contact Underplating Material | None |
| Terminal Size | 4.75 |
| Terminal Orientation | 45 Bend |

Termination Features

| | |
|---------------------------|----------------------|
| Termination Method to PCB | Through Hole - Screw |
|---------------------------|----------------------|

Product Terminates To

Printed Circuit Board

Dimensions

| | |
|-------------------------|------------------|
| Stud Diameter | 4.34 mm[.171 in] |
| PCB Hole Diameter | 4.34 mm[.171 in] |
| Profile Height from PCB | 5.85 mm[.23 in] |

Usage Conditions

| | |
|-----------------------------|----------------------------|
| Insulation Option | Uninsulated |
| Operating Temperature Range | -40 – 105 °C[-40 – 221 °F] |

Industry Standards

| | |
|---|---------|
| Compatible With Agency/Standards Products | CSA, UL |
|---|---------|

Packaging Features

| | |
|--------------------|------|
| Packaging Quantity | 1000 |
| Packaging Method | Bag |

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

| | |
|---|---|
| EU RoHS Directive 2011/65/EU | Compliant |
| EU ELV Directive 2000/53/EC | Compliant |
| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold |
| EU REACH Regulation (EC) No. 1907/2006 | Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) Does not contain REACH SVHC |
| Halogen Content | Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free |
| Solder Process Capability | Not applicable for solder process capability |

Product Compliance Disclaimer





This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on

requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



Also in the Series | FASTON 187



Customers Also Bought





Documents

Product Drawings

187 FASTON TAB TPBR

English

CAD Files

3D PDF

3D

Customer View Model

[ENG_CVM_CVM_61664-1_H.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_61664-1_H.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_61664-1_H.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

FASTON Tabs

English

Product Specifications

Application Specification

English