

# EV-T1CCS-PARK - Charging connector holder



1624143

<https://www.phoenixcontact.com/us/products/1624143>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



CHARX connect, CCS type 1, Charging connector holder, Accessories, Front mounting, housing: black, for vehicle charging connectors on charging stations (EVSE), SAE J1772

## Product description

Retainer for Vehicle Connector as parking position at charging stations for E-Mobility (EVSE)

## Your advantages

- Developed and produced in accordance with the IATF 16949 automotive standard and ISO 9001
- Individual branding, thanks to the use your own logo

## Commercial data

Item number	1624143
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	EM01
Product key	XWBMY
GTIN	4055626241593
Weight per piece (including packing)	171.267 g
Weight per piece (excluding packing)	120 g
Customs tariff number	39269097
Country of origin	PL

# EV-T1CCS-PARK - Charging connector holder



1624143


<https://www.phoenixcontact.com/us/products/1624143>

## Technical data

### Product properties

Product type	Charging connector holder
Product family	CHARX connect
Application	for vehicle charging connectors on charging stations (EVSE)
Charging standard	CCS type 1
Charging mode	Mode 4
Customer variations	On request

### Dimensions

Width	75 mm
Height	118 mm
Depth	37.5 mm
Dimensional drawing	
Bore dimensions	60 mm x 103 mm

### Material specifications

Color (Housing)	black (9005)
Material (Housing)	Plastic
Flammability rating according to UL 94	V0 ()

### Mechanical properties

Securing	With actuation lever
Removal	Lever actuation and removal

### Environmental and real-life conditions

#### Ambient conditions

Degree of protection	IP54 (plugged in)
Ambient temperature (operation)	-30 °C ... 50 °C
Ambient temperature (storage/transport)	-40 °C ... 80 °C

### Standards and regulations

#### Standards

Standards/regulations	SAE J1772
-----------------------	-----------

### Mounting

# EV-T1CCS-PARK - Charging connector holder



1624143

<https://www.phoenixcontact.com/us/products/1624143>

Mounting type Charging connector holder	Front mounting (0° ... 45° frontal inclination possible)
Mounting hole diameter	6.00 mm (ø)

# EV-T1CCS-PARK - Charging connector holder


1624143

<https://www.phoenixcontact.com/us/products/1624143>



## Drawings

Dimensional drawing



Dimensional drawing

# EV-T1CCS-PARK - Charging connector holder



1624143

<https://www.phoenixcontact.com/us/products/1624143>

## Classifications

### ECLASS

ECLASS-13.0	27144792
ECLASS-15.0	27144792

### ETIM

ETIM 9.0	EC002884
----------	----------

### UNSPSC

UNSPSC 21.0	39121500
-------------	----------

# EV-T1CCS-PARK - Charging connector holder



1624143

<https://www.phoenixcontact.com/us/products/1624143>

## Environmental product compliance

### EU RoHS

Fulfills EU RoHS substance requirements

Not applicable, No electrical and electronic equipment (EEE), cannot be used in EEE

### EU REACH SVHC

REACH candidate substance (CAS No.)

No substance above 0.1 wt%

Phoenix Contact 2025 © - all rights reserved

<https://www.phoenixcontact.com>

Phoenix Contact USA  
586 Fulling Mill Road  
Middletown, PA 17057, United States  
(+717) 944-1300  
[info@phoenixcon.com](mailto:info@phoenixcon.com)