

2358664-5 ✓ ACTIVE

HIVONEX

TE Internal #: 2358664-5

Black, PBT, Flap, -40 – 85 °C [-40 – 185 °F]

[View on TE.com >](#)



Automotive Parts > Automotive Connector Accessories > Other Automotive Connector Accessories > Charging Inlets Flap Assembly



Primary Product Color: **Black**

Primary Product Material: **PBT**

Automotive Connector Accessory Type: **Flap**

Operating Temperature Range: **-40 – 85 °C [-40 – 185 °F]**

[All Charging Inlets Flap Assembly \(8\)](#)

## Features

### Product Type Features

Automotive Connector Accessory Type	Flap
-------------------------------------	------

### Body Features

Primary Product Color	Black
-----------------------	-------

Primary Product Material	PBT
--------------------------	-----

### Usage Conditions

Operating Temperature Range	-40 – 85 °C[-40 – 185 °F]
-----------------------------	---------------------------

### Industry Standards

Compatible With Agency/Standards Products	DIN
-------------------------------------------	-----

UL Flammability Rating	UL 94HB
------------------------	---------

### Packaging Features

Packaging Method	Box
------------------	-----

Packaging Quantity	60
--------------------	----

### Other

Serviceable	No
-------------	----

## Product Compliance

For compliance documentation, visit the product page on [TE.com](https://www.te.com)>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

## Compatible Parts



TE Part # 2366402-1  
COMBO 1, CHARGE INLET ASSY,  
WITHOUT LED



TE Part # 2377400-1  
COMBO 2, CHARGE INLET ASSY,  
WITHOUT LED



TE Part # 2402048-1  
INLET HSG, CCS1 ASSY, WITH LED



TE Part # CAT-AQ6-HPCI  
High-Power Charging CCS1 and CCS2  
Inlet Kits




TE Part # CAT-AQ6-CIC  
DC Fast Charge CCS1 and CCS2 Inlet  
Kits

### Customers Also Bought



TE Part #HDP26-18-6SN  
PLG, 6P, BLK, N, 4/16, S



TE Part #CAT-D48-PCH8172  
DEUTSCH DTHD Housings



TE Part #1-794617-2  
12POS,MICRO MNL,RCPT HSG



TE Part #1-967640-1  
4POS MQS REC COD A



TE Part #2388501-1  
CHARGE INLET, COMBO 1, LED, 90  
DEGREE



TE Part #2401256-1  
CABLE COVER, AC



TE Part #1-2305823-4  
ANVIL HVM F



TE Part #2370544-5  
CRIMPER HVM W

### Documents

#### Product Drawings

[FLAP, ASSY, INLET COMBO 1, LEFT, LED](#)

English

#### CAD Files

Customer View Model

[ENG\\_CVM\\_CVM\\_2358664-5\\_B.3d\\_stp.zip](#)

English

Customer View Model

[ENG\\_CVM\\_CVM\\_2358664-5\\_B.2d\\_dxf.zip](#)

English

Customer View Model

[ENG\\_CVM\\_CVM\\_2358664-5\\_B.3d\\_igs.zip](#)

English

#### 3D PDF

3D

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

2358664-5

Black, PBT, Flap, -40 – 85 °C [-40 – 185 °F]



**Datasheets & Catalog Pages**

**ICT CHARGING INLET FLAP ASSEMBLIES**

English