

MATERIALS AND FINISHES

BODY: BRASS
PLATED: NICKEL

CENTER CONTACT: BRASS
PLATED: GOLD


CRIMP TUBE: BRASS
PLATED: NICKEL

OUTER CASING: NYLON 66 OR EQUIVALENT
KEYING: SEE TABLE
COLOR: SEE TABLE




INSULATOR: PP

SECONDARY LOCK (TPA): NYLON 66 OR EQUIVALENT


SECONDARY LOCK
(TPA)




FAKRA
CONNECTOR
KEYING
CODE B SHOWN



RECOMMENDED CABLE STRIP DIM.



CENTER CONTACT
PART NO.: 89601-9521



CRIMP TUBE
PART NO.: 89613-1792

AS-73597-046	ASSEMBLY INSTYUCTION
PS-89675-331	PRODUCT SPECIFICATION
DIN 72594-1	INTERFACE SPECIFICATION
SPECIFICATION	DESCRIPTION

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																
FUNCTIONAL SYMBOLS	DIMENSION UNITS		SCALE		CURRENT REV DESC: ADDED BULK PACKAGE PER EWR-17090-A											
	INCH/mm		NTS													
	GENERAL TOLERANCES (UNLESS SPECIFIED)															
$\frac{F}{A} = 0$	ANGULAR TOL ± 2°				STATUS: Production DRWN: Evita Lin CHK'D: Joanne Liao APPR: Darry Cheng 2025-03-14 2025-03-25 2025-03-25											
$\frac{F}{E} = 0$	4 PLACES		±													
$\frac{F}{P} = 0$	3 PLACES		±													
DIVISIONAL SYMBOLS	2 PLACES		± 0.250													
	1 PLACE		± 0.50													
	0 PLACES		±													
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS											THIRD ANGLE PROJECTION		DRAWING		SERIES
												C-SIZE		73403		MATERIAL NUMBER
										SEE TABLE		GENERAL MARKET		1 OF 3		
molex FAKRA JACK STR. FOR RG174/316 CABLE FAKRA-JC, EWR-17090 PRODUCT CUSTOMER DRAWING DOCUMENT NUMBER SD-73403-628 DOC TYPE PSD DOC PART 001 REVISION A1																

molex



FAKRA JACK STR. FOR RG174/316 CABLE
FAKRA-JC, EWR-17090

PRODUCT CUSTOMER DRAWING


DOCUMENT NUMBER	DOC TYPE	DOC PART	REVISION
SD-73403-628	PSD	001	A1



1 SET PER BAG
BAG P/N: 89707-0317



50 SETS PER BAG
BAG P/N: 89707-0174
6" x 12



500 SETS PER CARTON BOX
P/N: 96707-0002
367*176*188mm

FORMAT: TC-4b-prod-C