

4DB-P107-08

✓ ACTIVE

Buchanan | BUCHANAN 4DB Series

TE Internal #: 1-1437667-5

8 Position Barrier Strip, Dual Barrier, Printed Circuit Pin Bottom


Termination, Wire-to-Board, 8.26 mm [.325 in] Centerline,

BUCHANAN 4DB Series

[View on TE.com >](#)



Connectors > Terminal Blocks & Strips > Barrier Strips



Barrier Strip Style: **Dual Barrier**

Bottom Termination Type: **Printed Circuit Pin**

Connector System: **Wire-to-Board**

Number of Positions: **8**

Centerline (Pitch): **8.26 mm [.325 in]**

Features

Product Type Features

Block Style	Flat Bottom with standoffs
Connector System	Wire-to-Board
Connector & Contact Terminates To	Printed Circuit Board

Configuration Features

Number of Levels	1
Number of Positions	8
Number of Rows	1

Electrical Characteristics

Operating Voltage	150 V, 300 V
-------------------	--------------

Body Features

Primary Product Color	Black
Product Orientation	Vertical
Barrier Strip Style	Dual Barrier



Contact Features

Contact Base Material	Copper Alloy
PCB Contact Termination Area Plating Material	Tin
Contact Current Rating (Max)	10 A, 20 A

Termination Features

Bottom Termination Type	Printed Circuit Pin
-------------------------	---------------------

Mechanical Attachment

Top Termination Type	Binding Combo Head
Mounting Options	None
Screw Plating Material	Zinc Chromate
Screw Material	Steel
Thread Size	6-32
Screw Head Type	Combo Phil-Slot
Connector Mounting Type	Board Mount

Housing Features

Housing Material	Nylon
Centerline (Pitch)	8.26 mm [.325 in]

Dimensions

Product Length	67.69 mm [2.665 in]
Wire Size	22 – 12 AWG

Usage Conditions

Operating Temperature Range	-40 – 105 °C [-40 – 221 °F]
-----------------------------	-----------------------------

Operation/Application

Circuit Application	Power
---------------------	-------

Industry Standards

UL Flammability Rating	UL 94V-0
------------------------	----------

Packaging Features

Packaging Method	Package
Packaging Quantity	24

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)



EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Wave solder capable to 265°C


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts




Also in the Series | [BUCHANAN 4DB Series](#)



Barrier Strips(18)


Customers Also Bought




TE Part #321580
TERMINAL,SOLIS FLAG R 1/0 5/16




TE Part #3-2176089-5
RP 1J 0.166W 25K5 0.1% 25PPM 1K RL




TE Part #8-2176307-1
RP 1E 0.1W 84K5 0.1% 25PPM 5K RL




TE Part #9-2176526-8
3503G 2B 523R 1% 5K RL




TE Part #2176600-1
RLC73PD 2H R604 1% 1K RL



TE Part #2176600-2
RLC73PD 2H R619 1% 1K RL



TE Part #2176604-1
RLC73K 3A R604 1% 1K RL



TE Part #2176608-2
RLC73PD 3A R619 1% 1K RL



TE Part #1-2232829-5
SGI2.0 HEADER ASSEMBLY SMT 5P,
KEY A,NTL



TE Part #1437667-6
4DB-P107-02=4DB ASSEMBLY

Documents

Product Drawings

4DB-P107-08=4DB SERIES TERMINA

English

CAD Files

3D PDF

English

Customer View Model

ENG_CVM_1-1437667-5_D.3d_igs.zip



English

Customer View Model

[ENG_CVM_1-1437667-5_D.3d_stp.zip](#)

English

Customer View Model

[ENG_CVM_1-1437667-5_D.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_1-1437667-5_J.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_1-1437667-5_J.3d_stp.zip](#)

English

Customer View Model

[ENG_CVM_CVM_1-1437667-5_J.2d_dxf.zip](#)

English

[3D PDF](#)

3D

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[BUCHANAN TERMINAL BLOCKS CATALOG - BARRIER STRIPS](#)

English

[1-1773458-2_BARRIER_STRIPS_QUICK_REFERENCE_GUIDE](#)

English