



Switches > Toggle Switches > Toggle Switch 4-Pole, Sealed, Lever, Toggle

Configuration (Pole-Throw): **Four Pole - Single Throw**

Operating Function: **On On**

Number of Positions: **2**

Contact Current Rating: **15 A**

Operating Voltage: **28 VDC**

[All Toggle Switch 4-Pole, Sealed, Lever, Toggle \(7\)](#)

## Features

### Product Type Features

Sealed Device	Yes
Switch Connection Type	Quick Connect Terminal
Toggle Style	Lever
Switch Type	Toggle Switch

### Configuration Features

Configuration (Pole-Throw)	Four Pole - Single Throw
Operating Function	On On
Number of Positions	2

### Electrical Characteristics

Contact Current Rating	15 A
Operating Voltage	115 VAC

### Body Features

Actuator Finish	Thermoplastic
Sealing Method	Strippable Transparent Protective Seal
Product Orientation	Horizontal
Bushing Style	Threaded
Bushing Thread Size	M12 x .75

### Contact Features



Contact Base Material	Copper
Switch Contact Plating Material	Silver Tin Oxide

### Mechanical Attachment

Product Mount Type	Panel Mount
--------------------	-------------

### Housing Features

Process Sealed	Yes
----------------	-----

### Operation/Application

Keyway Toggle Actuation Position	1-2, 4-5, 7-8, 10-11
Opposite Keyway Toggle Position	2-3, 5-6, 8-9, 11-13
Center Toggle Position	None

### Industry Standards

IP Rating	IP6K5
-----------	-------

## Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Not Compliant
EU ELV Directive 2000/53/EC	Compliant with Exemptions
China RoHS 2 Directive MIIT Order No 32, 2016	有害物质含量超出标准 Restricted Substance(s) Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) SVHC > Threshold: Pb (3.5% in Component Part) <b>Article Safe Usage Statements:</b> Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Not Yet Reviewed for halogen content
Solder Process Capability	Not reviewed for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides




on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

### Compatible Parts



TE Part # K2001774  
Toggle Switch 07-2-2-10



TE Part # K1014077  
Toggle Switch 07-1-2-17 934

### Also in the Series | KISSLING Series 07



Other Automotive Connector  
Accessories(1)



Switch Seals & Accessories(7)



Toggle Switches(98)

### Customers Also Bought




TE Part #K1022530  
Switch guard 07-0-0-01




TE Part #K1060028  
Relay 29-111-12



TE Part #160917-2  
FF 250 REC 1-2.5MM2 TPBR



TE Part #170032-5  
250 FASTON,REC.,20-14 AWG,TPBR



TE Part #180923  
FF 250 REC HSG 2P NYLON NAT



TE Part #282762-1  
JPT SPLASH-PROOF FEM.CONN2  
POS



TE Part #880297-1  
6 WAY FF 250 HOUSING REC PA 6.6  
NATURAL



TE Part #926887-1  
UNIV.M-N-L.PIN



## Documents

### Product Drawings

#### Toggle Switch 07-4-2-13 933

English

### CAD Files

#### 3D PDF

3D

#### Customer View Model

[ENG\\_CVM\\_CVM\\_07-4-2-13-933\\_A.2d\\_dxf.zip](#)

English

#### Customer View Model

[ENG\\_CVM\\_CVM\\_07-4-2-13-933\\_A.3d\\_igs.zip](#)

English

#### Customer View Model

[ENG\\_CVM\\_CVM\\_07-4-2-13-933\\_A.3d\\_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

### Datasheets & Catalog Pages

#### KISSLING TOGGLE SWITCH Series 07

English