

2405418-2 ✓ ACTIVE

TE Internal #: 2405418-2


2 Position, .3 m [.98 ft], Orange Cable, .128 mm² Wire, 26 AWG, 2

Pairs, 2 Signal Positions

[View on TE.com >](#)



Cable Assemblies > Copper Cable Assemblies > High Speed I/O Cable Assemblies



Number of Positions: 2

Cable Assembly Length: .3 m [.98 ft]

Cable Color: Orange

Shielded: No

Wire Size: .128 mm²

Features

Product Type Features

Cable Style	Discrete Pair
-------------	---------------

Configuration Features

Mounting Location	Internal/Embedded
Number of Positions	2
Number of Pairs	2
Number of Signal Positions	2

Body Features

Cable Color	Orange
-------------	--------

Mechanical Attachment

Mating Alignment	Without
------------------	---------

Dimensions

Wire Size	26 AWG
-----------	--------

Operation/Application

Shielded	No
----------	----



Other

Cable Assembly Length	.3 m [.98 ft]
-----------------------	---------------

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Out of Scope
China RoHS 2 Directive MIIT Order No 32, 2016	有害物质含量符合标准要求 No Restricted Substance(s) Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for substances in articles' (Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA "Guidance on requirements for substances in articles" (June 2017, version 4.0) and will be updating its statements accordingly.

Compatible Parts



Customers Also Bought




TE Part #85BSD005BG0-3BSC
PRESS,ISO,BACK-SIDE DIGITAL



TE Part #DTM8S-BT-BK
BOOT, 8P, PLG, ST, BLK



TE Part #31425
TERMINAL,BUDG R 26-22 2




TE Part #42437-2
250 FASTON REC 14-10 AWG TPBR




TE Part #63698-1
RING,M4, DIA 4.39,16-12,TPBR



TE Part #440054-2
2.0MM,HDR,2POS,VERTICAL




TE Part #776286-2
8POS,AMPSEAL,SOC HSG ASSY,SLD,
COD 2



TE Part #2176243-5
CRGS0603 5% 2R2



TE Part #2176326-3
CRGP 0603 15R 1%



TE Part #1-2834015-6
6POS 2.54MM TES CONN.

Documents

Product Drawings

[2P TO 2P 300MM CABLE ASSEMBLY,440129-2](#)

English

CAD Files

Customer View Model

[ENG_CVM_CVM_2405418-2_A.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_2405418-2_A.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_2405418-2_A.3d_stp.zip](#)

English

3D PDF

3D

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

2405418-2

2 Position, .3 m [.98 ft], Orange Cable, .128 mm² Wire, 26 AWG, 2 Pairs, 2 Signal Positions



[Datasheets & Catalog Pages](#)

[HPI-Connectors-QRG-1221-V2](#)

English