

FSM1LP ✓ ACTIVE

ALCOSWITCH | ALCOSWITCH FSM1LP


TE Internal #: 1-1437565-6

50 mA Tactile Switch, Round Actuator, NO, Copper Alloy, Silver Contact Plating, Low Profile, 24 VDC, ALCOSWITCH FSM1LP

[View on TE.com >](#)



Switches > Tactile Switches



Actuator Style: **Round Actuator**

Operating Function: **NO**

Contact Base Material: **Copper Alloy**

Switch Contact Plating Material: **Silver**

Low Profile: **With**

Features

Product Type Features

Leg Style	SMD Pads
Switch Connection Type	Printed Circuit Board
Illuminated	Without
Actuator Style	Round Actuator

Configuration Features

Switch Feedback Type	Tactile
ESD Grounding Terminal	With
Ganged	With
Operating Function	NO
Support Bracket	Without
Configuration (Pole-Throw)	Single Pole - Single Throw
Number of Actuators	Single

Electrical Characteristics

Operating Voltage	24 VDC
-------------------	--------

Body Features

Case Material	PPS
Actuator Profile	Extended
Case Color	Black
Actuator Material	PPA
Cover Material	Nickel, Silver
Actuator Force	160 g[5.64 oz]
Product Orientation	Vertical
Actuator Color	Black

Contact Features

Contact Base Material	Copper Alloy
Switch Contact Plating Material	Silver
Contact Current Rating	50 mA

Termination Features

Termination Method to PCB	Surface Mount
---------------------------	---------------

Housing Features

Low Profile	With
Process Sealed	No

Dimensions

	.122 in
Button Width	2.99 mm[.118 in]
Actuator Length	.27 mm[.01 in]

Usage Conditions

Operating Temperature Range	-35 – 85 °C[-31 – 185 °F]
-----------------------------	---------------------------

Packaging Features

Packaging Method	Loose Piece
------------------	-------------

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	有害物质含量符合标准要求 No Restricted



<p>EU REACH Regulation (EC) No. 1907/2006</p>	<p>Substance(s) Above Threshold</p> <p>Current ECHA Candidate List: JUNE 2025 (250)</p> <p>Candidate List Declared Against: JUNE 2025 (250)</p> <p>Does not contain REACH SVHC</p>
<p>Halogen Content</p>	<p>Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free</p>
<p>Solder Process Capability</p>	<p>Reflow solder capable to 260°C</p>

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 1825910-6
FSM4JH=6MM TACT SWITCH, HIGH TEMP



TE Part # 2-1977223-8
FSM14JSMAS=6MM TACT SWITCH, SMT 160gf



TE Part # 3-1437565-0
FSM2JSMATR=ON T/R



TE Part # 2-1825910-7
FSM14JH=6MM TACT SWITCH, HIGH TEMP



TE Part # 4-1437565-2
FSM4JSMATR=TACT SWITCH 6X6MIL

Also in the Series | **ALCOSWITCH FSM1LP**



Tactile Switches(4)


Customers Also Bought




TE Part #2-1437565-8
FSM2JSMMA=TACTILE 260G FORCE S




TE Part #1-1462038-7
IM07NS=IM RELAY 200mW 24V




TE Part #9-2176310-4
RP 1E 0.1W 1K0 0.1% 25PPM 1K RL




TE Part #2176467-7
TLRP 1206 1.0W R030 1% 50PPM 5K RL



TE Part #6-2176562-6
3430 H2 1% 470R 100ppm 1k RL



TE Part #6-2176562-8
3430 H2 1% 560R 100ppm 1k RL



TE Part #2205086-1
FSK-1.5A-5



TE Part #2309407-1
DDR4 SODIMM 260P 4.0H STD



TE Part #5120913-1
UPM KEYED GUIDE MODULE



TE Part #6-6609929-9
PE0S0SSX0=C2283

Documents

Product Drawings

[FSM1LP=ESD GND SMD TACT SWITCH](#)

English

CAD Files

[Customer View Model](#)

[ENG_CVM_1-1437565-6_D1.3d_igs.zip](#)

English

[Customer View Model](#)



[ENG_CVM_1-1437565-6_D1.3d_stp.zip](#)

English

Customer View Model

[ENG_CVM_1-1437565-6_D1.2d_dxf.zip](#)

English

3D PDF

English

Customer View Model

[ENG_CVM_CVM_1-1437565-6_E.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_1-1437565-6_E.3d_stp.zip](#)

English

Customer View Model

[ENG_CVM_CVM_1-1437565-6_E.2d_dxf.zip](#)

English

3D PDF

3D

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[SWITCHES_CORE_PROGRAM_CATALOG](#)

English

[Products for Mobile Equipment](#)

English

[Tactile Switches](#)

English

[8-1773450-9_SWITCHES_CATALOG_SECTION_C_TACTILE_SWITCHES](#)

English