

PRD-7DG0-24 ✓ ACTIVE


TE Internal #: 1-1393130-6

General Purpose Power Relay, DC, Monostable, 2 Form A DPST-NO, 30 A Contact Rating, 24 VDC Coil Voltage, 600 VAC Contact Voltage

[View on TE.com >](#)



Relays & Contactors > Electromechanical Relays



Relay & Contactor Type: **General Purpose Power Relay**

Coil Magnetic System: **Monostable**

Contact Arrangement: **2 Form A DPST-NO**

Current Type: **DC**

Contact Current Rating: **30 A**

Features

Product Type Features

Relay & Contactor Type	General Purpose Power Relay
------------------------	-----------------------------

Configuration Features

Contact Number of Poles	2
Contact Arrangement	2 Form A DPST-NO

Electrical Characteristics

Coil Resistance	288 Ω
Contact Switching Voltage (Max)	600 VAC
Contact Current Rating	30 A
Coil Voltage Rating	24 VDC
Contact Voltage Rating	125 VDC
Coil Power Rating DC	2 W
Insulation Initial Dielectric Between Contacts & Coil	2000 Vrms

Termination Features

Main Termination & Connection Type	8-32 Screw
Coil Termination & Connection Type	6-32 Screw

Mechanical Attachment

Product Mount Type	Panel Mount
--------------------	-------------

Dimensions

--	--



Product Width	63.8 mm[2.512 in]
Product Length	63.3 mm[2.492 in]
Product Height	63.5 mm[2.5 in]

Usage Conditions

Operating Temperature Range	-55 – 80 °C[-67 – 176 °F]
Environmental Ambient Temperature (Max)	80 °C[176 °F]

Operation/Application

Coil Magnetic System	Monostable
Current Type	DC

Other

Contact Current Class	>25 – ≤32 A
Coil Power Rating Class	>1.5 – ≤3 W
Height Class (Mechanical)	>45 – ≤70 mm[>1.772 – ≤2.756 in]
Length Class (Mechanical)	>45 – ≤70 mm[>1.772 – ≤2.756 in]
Width Class (Mechanical)	>33 mm[>1.299 in]

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Not Yet Reviewed
China RoHS 2 Directive MIIT Order No 32, 2016	有害物质含量超出标准 Restricted Substance(s) Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) SVHC > Threshold: Cadmium oxide (9.9% in M-3125-3) DBMC (.5% in 20635946948) Article Safe Usage Statements: Use personal protective equipment as required. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Do not handle until all safety precautions have been read and understood. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>


Customers Also Bought




TE Part #61664-1
187 FASTON TAB TPBR



TE Part #5-87589-3
14 MODII HDR DRST SHRD .100CL



TE Part #5-534236-6
12 MODII VRT DR CE 100/120



TE Part #2-1437648-3
4PCR-04-006=4PCR ASSY TERMINAL



TE Part #3-1617004-2
B07D692BZ2-0011 = M5757/23-001




TE Part #1622556-2
LR1 1% 6K98




TE Part #1623455-1
CRG1206 1% 200K



TE Part #5406436-1
MJ,TE,8P,SHLD W/PNL STPS



TE Part #Y43023-8-3P7V00400
HERM RECP



TE Part #Y72317-09-98PNV004
HERM RECP

Documents

CAD Files

Customer View Model

[ENG_CVM_1-1393130-6_0107.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_1-1393130-6_0107.3d_stp.zip](#)



English

Customer View Model

[ENG_CVM_1-1393130-6_0107.2d_dxf.zip](#)

English

3D PDF

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[PRD 10 to 50 Amp Heavy Duty AC or DC Power Relay](#)

English

Product Specifications

[Definitions General Purpose Relays](#)

English

Agency Approvals

[UL](#)

English