

Product data sheet

Specifications



Multisound siren, Harmony XVS,
prewired, white colour, 0...105dB,
43tones, 12...24V DC

XVS14BMW

Main

| | |
|---------------------------|------------------|
| Range of product | Harmony XVS |
| Product or component type | Multisound siren |
| Device short name | XVS |

Complementary

| | |
|--|---|
| Colour | White |
| Material | ASA (Acrylonitrile Styrene Acrylate): front ASA (Acrylonitrile Styrene Acrylate): back PC (polycarbonate): back cover |
| Product weight | 1 kg |
| Marking | CE |
| Mounting support | Bracket |
| fixing mode | 3 holes Ø 9 mm |
| [Uimp] rated impulse withstand voltage | 0.8 kV |
| Current consumption | 350 mA at 24 V 250 mA at 12 V |
| Electrical connection | Cable: 6.5...8.5 mm, 0.33 mm ² / AWG 22 (signalling circuit) Cable: 6.5...8.5 mm, 0.52 mm ² / AWG 20 (power circuit) |
| Width | 140 mm |
| Height | 114 mm |
| Depth | 223 mm |

Environment

| | |
|---------------------------------------|--|
| Signalling type | 43 tones siren |
| Standards | IEC 61000-6-2 EN 55014-2 EN 55022 IEC 61000-6-3 |
| Product certifications | UL |
| Protective treatment | TC |
| Ambient air temperature for storage | -35...70 °C |
| Ambient air temperature for operation | -10...50 °C |
| Overvoltage category | Class II conforming to IEC 61140 |
| IP degree of protection | IP53 conforming to IEC 60529 |

| | |
|---------------------------|--------------------|
| [Us] rated supply voltage | 12 V DC 24 V DC |
|---------------------------|--------------------|

| | |
|-------------|---|
| Noise level | 0...105 dB (continuous or intermittent tone) at 1 m |
|-------------|---|

Packing Units

| | |
|------------------------|-----|
| Unit Type of Package 1 | PCE |
|------------------------|-----|

| | |
|------------------------------|---|
| Number of Units in Package 1 | 1 |
|------------------------------|---|

| | |
|------------------|-----------|
| Package 1 Height | 27.500 cm |
|------------------|-----------|

| | |
|-----------------|-----------|
| Package 1 Width | 16.000 cm |
|-----------------|-----------|

| | |
|------------------|-----------|
| Package 1 Length | 16.000 cm |
|------------------|-----------|

| | |
|------------------|----------|
| Package 1 Weight | 1.340 kg |
|------------------|----------|

| | |
|------------------------|-----|
| Unit Type of Package 2 | S04 |
|------------------------|-----|

| | |
|------------------------------|---|
| Number of Units in Package 2 | 6 |
|------------------------------|---|

| | |
|------------------|-----------|
| Package 2 Height | 30.000 cm |
|------------------|-----------|

| | |
|-----------------|-----------|
| Package 2 Width | 40.000 cm |
|-----------------|-----------|

| | |
|------------------|-----------|
| Package 2 Length | 60.000 cm |
|------------------|-----------|

| | |
|------------------|----------|
| Package 2 Weight | 9.302 kg |
|------------------|----------|

Contractual warranty

| | |
|----------|-----------|
| Warranty | 18 months |
|----------|-----------|

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint

Total lifecycle Carbon footprint 13

Environmental Disclosure [Product Environmental Profile](#)

Use Better

Materials and Substances

Packaging made with recycled cardboard Yes

Packaging without single use plastic Yes

[EU RoHS Directive](#) Pro-active compliance (Product out of EU RoHS legal scope)

SCIP Number Fe0ee3ab-dd49-4abe-bd8e-c49754e2c442

California proposition 65 **WARNING:** This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

Use Again

Repack and remanufacture


End of life manual availability [End of Life Information](#)

Take-back No

Dimensions Drawings

Siren

Dimensions



Technical Illustration

Dimensions




Image of product / Alternate images

Alternative





