

Specifications



Eaton E58-18DP50-EL

Eaton E58 Harsh Duty Series Tubular 18mm Photoelectric Sensor, 0.71 dia, dist. 2 In., 2 Wire, 100 mA at 18-50Vdc/90-132Vac, 6.6 Ft. (2m) Cable, 90-132Vac/18-50Vdc input, Auto reset short circuit, Background Suppression, 6.6 Ft. (2m)

General specifications

PRODUCT NAME	Eaton harsh-duty sensor
CATALOG NUMBER	E58-18DP50-EL
UPC	782114264829
PRODUCT LENGTH/DEPTH	0.71 in
PRODUCT HEIGHT	3.15 in
PRODUCT WIDTH	0.71 in
PRODUCT WEIGHT	0.4188 lb
WARRANTY	3 year
COMPLIANCES	CE Marked
CERTIFICATIONS	UL Listed
CATALOG NOTES	Sensor will detect a 90% reflectance card at the Sensing Range; sensor will ignore a 90% reflectance card at the Cutoff Range
PRODUCT TYPE	Harsh-duty sensor



Powering Business Worldwide

Product specifications

CONTACT RATING	100 mA at 18-50Vdc/90-132Vac
CABLE TYPE	Polyvinyl Chloride (PVC)
ENCLOSURE MATERIAL	Stainless steel
OPERATING MODE	Background suppression
CONNECTION	6.6 ft (2 m) cable
CONTACT CONFIGURATION	2-wire AC/DC
SENSOR TYPE	Back ground suppression
SWITCH TYPE	Photoelectric
INPUT VOLTAGE	90-132 Vac, 18-50 Vdc
LED INDICATOR	Output status: red
PROTECTION	Auto reset short circuit
CORD LENGTH	79.2 ft
MAXIMUM AC CURRENT	100 mA
MAXIMUM DC CURRENT	100 mA
OPERATING TEMPERATURE - MAX	158 °F
OPERATING TEMPERATURE - MIN	-40 °F
ENVIRONMENTAL RATING	NEMA 1, NEMA 2, NEMA 3, NEMA 3R, NEMA 3S, NEMA 4, NEMA 4X, NEMA 6, NEMA 6P, NEMA 12, NEMA 13, IP69K

Resources

CATALOGS	Product Range Catalog Sensors – products, basic information, applications
	Sensing Solutions, Photoelectric Sensor, Volume 8, Tab 5
SPECIFICATIONS AND DATASHEETS	Eaton Specification Sheet - E58-18DP50-EL

PROJECT NAME:

PROJECT NUMBER:

PREPARED BY:

DATE:



Eaton Corporation plc Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2025 Eaton. All Rights Reserved.

Follow us on social media to get the latest product and support information.

