

1-1670918-1 ✓ ACTIVE

MCON | MCON 1.2mm

TE Internal #: 1-1670918-1

12 V / 24 V / 48 V, 4 Position, Automotive Housing for Female
Terminals, Wire-to-Wire, 4 mm [.16 in] Centerline, Sealable, Black,
MCON 1.2mm

[View on TE.com >](#)



Automotive Parts > Automotive Connectors > Automotive Housings



Nominal Voltage Architecture: 12 V, 24 V, 48 V

Connector & Housing Type: **Housing for Female Terminals**

Number of Positions: 4

Sealable: **Yes**

Operating Temperature Range: -40 – 130 °C [-40 – 266 °F]

Features

Product Type Features

Mixed & Hybrid Connector	No
Connector Shape	Rectangular
Connector & Housing Type	Housing for Female Terminals
Sealable	Yes
Primary Locking Feature	Locking Lance
Connector System	Wire-to-Wire
Connector & Contact Terminates To	Wire & Cable

Configuration Features

Number of Positions	4
Number of Rows	1

Electrical Characteristics

Operating Voltage	12 VDC
Nominal Voltage Architecture	12 V, 24 V, 48 V

Body Features



Cable Exit Angle	180 °
Primary Product Color	Black
Connector & Keying Code	A

Contact Features

Contact Size	1.2mm
Contact Type	Receptacle
Mating Tab Width	1.2 mm[.04 in]
Contact Current Rating (Max)	25 A

Mechanical Attachment

Terminal Position Assurance	Yes
Mating Alignment Type	Keyed
Mating Alignment	With
Connector Mounting Type	Cable Mount (Free-Hanging)

Housing Features

Housing Material	PA 66 GF30
Centerline (Pitch)	4 mm[.16 in]

Dimensions

Product Width	26.5 mm[1.04 in]
Product Length	24.7 mm[.97 in]
Connector Height	16.5 mm[.65 in]

Usage Conditions

Operating Temperature Range	-40 – 130 °C[-40 – 266 °F]
Operating Temperature (Max)	130 °C[266 °F]

Operation/Application

Circuit Application	Power
---------------------	-------

Industry Standards

IP Rating	IPX4K, IPX9K
-----------	--------------

Packaging Features

Packaging Method	Box
Packaging Quantity	1500

Other



Serviceable	No
Connector Position Assurance Capable	No

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	有害物质含量符合标准要求 No Restricted Substance(s) Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 2-1564559-4
4POS, MCON 1.2 LL TAB SEALED
COD B



TE Part # 2405092-2
4POS, MCON 1.2, TAB HSG, UNSLD



TE Part # 5-1564559-1
4POS, MCON 1.2 LL TAB SEALED
COD A



TE Part # CAT-M4595-T273
MCON Receptacle and Tab




TE Part # 3-1564559-4
4POS, MCON 1.2 LL TAB SEALED
COD C



TE Part # CAT-N14-MSTH12128
MCON 1.2, 1-row, 2-8 POS TAB
Housing, Sealed



TE Part # 1-1564559-4
4POS, MCON 1.2 LL TAB SEALED
COD A

Also in the Series | MCON 1.2mm



Automotive Connector Locks &
Position Assurance(9)




Automotive Housings(352)



Automotive Seals & Cavity Plugs(16)



Automotive Signal & Power Connector
Housings(348)



Other Automotive Connector
Accessories(12)

Customers Also Bought



TE Part #2-928776-3
MOD2 STIFT M A-PIN



TE Part #3-928776-2
MOD2 STIFT M A-PIN




TE Part #1813284-1
SOCKET SPACER(Bosch:F 00R J00)



TE Part #CAT-L489-CH8172
LEAVYSEAL Connector Housings



TE Part #1-2201864-2
MINI I/O REC KIT TYPE II M



TE Part #2294417-4
INDUSTRIAL MINI I/O HDR TYPE II W
EMBOSS



TE Part #2822358-1
250 TYPE CAVITY PLUG



TE Part #936248-2
090 SLD 2P PLUG ASSY BLACK



Documents

CAD Files

[3D PDF](#)

3D

Customer View Model

[ENG_CVM_CVM_1-1670918-1_F.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_1-1670918-1_F.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_1-1670918-1_F.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

[Application Specification](#)

English