

1744417-3 ✓ ACTIVE

Economy Power 2.5

TE Internal #: 1744417-3

3 Position, Receptacle, Housing, Crimp, Wire-to-Board, UL 94V-0,
2.5 mm [.098 in] Centerline, 1 Row, 250 VAC, Wire & Cable, Power,
Economy Power 2.5

[View on TE.com >](#)



Connectors > Rectangular Connectors > Standard Rectangular Connectors



Connector Product Type: **Housing**

Connector & Housing Type: **Receptacle**

Mating Retention Type: **Latch**

Connector System: **Wire-to-Board**

UL Flammability Rating: **UL 94V-0**

Features

Product Type Features

Connector Product Type	Housing
Connector & Housing Type	Receptacle
Connector System	Wire-to-Board
Sealable	No
Connector & Contact Terminates To	Wire & Cable

Configuration Features

Number of Positions	3
Number of Rows	1

Electrical Characteristics

Operating Voltage	250 VAC
-------------------	---------

Body Features

Primary Product Color	Natural
-----------------------	---------

Contact Features

--	--



Contact Layout	Inline
----------------	--------

Contact Type	Socket
--------------	--------

Termination Features

Termination Method to Wire & Cable	Crimp
------------------------------------	-------

Mechanical Attachment

Strain Relief	Without
---------------	---------

Panel Mount Feature	Without
---------------------	---------

Mating Retention Type	Latch
-----------------------	-------

Mating Retention	With
------------------	------

Connector Mounting Type	Cable Mount (Free-Hanging)
-------------------------	----------------------------

Housing Features

Housing Entry Configuration	Both Ends Closed
-----------------------------	------------------

Centerline (Pitch)	2.5 mm [.098 in]
--------------------	------------------

Housing Material	Nylon
------------------	-------

Dimensions

Connector Height	5.7 mm [.224 in]
------------------	------------------

Connector Length	9.8 mm [.385 in]
------------------	------------------

Usage Conditions

Operating Temperature Range	-55 – 105 °C [-67 – 221 °F]
-----------------------------	-----------------------------

Operation/Application

Circuit Application	Power
---------------------	-------

Industry Standards

UL Flammability Rating	UL 94V-0
------------------------	----------

Glow Wire Rating	Glow Wire
------------------	-----------

Packaging Features

Packaging Quantity	500
--------------------	-----

Packaging Method	Bag
------------------	-----

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
------------------------------	-----------

EU ELV Directive 2000/53/EC	Compliant
-----------------------------	-----------





China RoHS 2 Directive MIIT Order No 32, 2016	有害物质含量符合标准要求 No Restricted Substance(s) Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer






This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

 <p>TE Part # 2299683-3 EP2.5 HDR 3P VERT W/O BOSS, TAPING</p>	 <p>TE Part # 1-2299683-3 EP2.5 HDR 3P VERT W/O BOSS, TAPING,RED</p>	 <p>TE Part # 2110989-1 EP 2.5 RCPT CONTACT, 26-22 AWG</p>	 <p>TE Part # 2482324-1 EXTRACTION TOOL</p>
 <p>TE Part # 2404280-3 EP 2.5 HDR, GLOW WIRE, 3P</p>	 <p>TE Part # 2499817-3 3P EP2.5 R/A Header Assy W/O Board lock</p>	 <p>TE Part # 2132230-3 EP2.5 Shrouded HDR ASSY 3P VER</p>	 <p>TE Part # 1744446-3 Hdr Assy, EP 2.5 RA, 3 Pos., GW</p>



Also in the Series | Economy Power 2.5



Customers Also Bought





TE Part #638393-1
10P PLUG ASSY A KEY W/O CPA



TE Part #964310-1
TAB A 5.8x0.8 CONTACT CF SWS Sn



TE Part #1744417-2
2 POS EP 2.5 HSG, GLOW WIRE



TE Part #2110989-1
EP 2.5 RCPT CONTACT, 26-22 AWG



TE Part #2-2324579-0
HOUSING, PLUG, 20P, DUAL ROW,
EP2.5



TE Part #2132415-3
EP2.5 Shrouded HDR ASSY 3P VERT w
/o boss

Documents

Product Drawings

3 POS EP 2.5 HSG, GLOW WIRE

English

CAD Files

3D PDF

3D

Customer View Model

[ENG_CVM_CVM_1744417-3_D.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_1744417-3_D.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_1744417-3_D.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

7-1773461-6_EP2.5_Connector_Series

English

Product Specifications

Application Specification

English

Agency Approvals

VDE Certificate

1744417-3

3 Position, Receptacle, Housing, Crimp, Wire-to-Board, UL 94V-0, 2.5 mm [.098 in]
Centerline, 1 Row, 250 VAC, Wire & Cable, Power, Economy Power 2.5



English