




MQS

TE Internal #: 284869-1

12 V, 8 Position, Automotive Housing for Male Terminals, Wire-to-Wire, 2.54 mm [.1 in] Centerline, Black, Wire & Cable, Signal

[View on TE.com >](#)

Automotive Parts > Automotive Connectors > Automotive Housings > MQS, CONNECTOR HOUSING



Nominal Voltage Architecture: 12 V

Connector & Housing Type: **Housing for Male Terminals**

Number of Positions: **8**

Sealable: **No**

Operating Temperature Range: -25 – 85 °C [-13 – 185 °F]

[All MQS, CONNECTOR HOUSING \(339\)](#)

Features

Product Type Features

Mixed & Hybrid Connector	No
Connector Shape	Rectangular
Connector & Housing Type	Housing for Male Terminals
Sealable	No
Primary Locking Feature	Integrated in Housing
Connector System	Wire-to-Wire
Connector & Contact Terminates To	Wire & Cable

Configuration Features

Number of Positions	8
Number of Rows	2

Electrical Characteristics

Operating Voltage	24 VDC
Nominal Voltage Architecture	12 V



Body Features

Cable Exit Angle	180 °
Primary Product Color	Black

Contact Features

Contact Size	.63mm
Contact Type	Tab
Mating Tab Width	.63 mm[.02 in]
Contact Current Rating (Max)	3.5 A, 5 A, 6 A

Mechanical Attachment

Strain Relief	Without
Terminal Position Assurance	Yes
Mating Alignment Type	Polarization
Mating Alignment	With
Connector Mounting Type	Cable Mount (Free-Hanging)

Housing Features

Housing Material	PA 6.6 GF
Centerline (Pitch)	2.54 mm[.1 in]

Dimensions

Row-to-Row Spacing	3 mm[.118 in]
Product Width	16.7 mm[.657 in]
Product Length	28.5 mm[1.122 in]
Connector Height	13.7 mm[.539 in]

Usage Conditions

Operating Temperature Range	-25 – 85 °C[-13 – 185 °F]
Operating Temperature (Max)	85 °C[185 °F]

Operation/Application

Circuit Application	Signal
---------------------	--------

Packaging Features

Packaging Quantity	1500
Packaging Method	Box

Other

Serviceable	Yes
-------------	-----



Connector Position Assurance Capable

No

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU

Compliant

EU ELV Directive 2000/53/EC

Compliant

China RoHS 2 Directive MIIT Order No 32, 2016

有害物质含量符合标准要求 No Restricted Substance(s) Above Threshold

EU REACH Regulation (EC) No. 1907/2006

Current ECHA Candidate List: JUNE 2025 (250)
Candidate List Declared Against: JUNE 2025 (250)
Does not contain REACH SVHC

Halogen Content

Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

TE Part # 284868-1
SECONDARY LOCK FOR 8P MQS CLOC

TE Part # 284867-1
PIN HOUSING FOR 8P MQS CLOCK

TE Part # 5-963716-1
MQS0,63 Sn tab LL unseal. 0,5-0,75

TE Part # CAT-M8793-CH8172
MQS, CONNECTOR HOUSING

Customers Also Bought



TE Part #CAT-M9194-T273
MULTILOCK, RECEPTACLE AND TAB



TE Part #174922-1
070 MLC W-W PLUG HSG 4P NATURA



TE Part #1379100-2
COV+LEV MQS 18W ODEG WHI



TE Part #1480968-1
ASSY 4 POSN. 2,8MM REC.



TE Part #2290490-1
16POS, 1.0 SERIES, REC HSG ASSY, SLD



TE Part #174929-1
070 MLC W-W CAP HSG 4P NATURAL



TE Part #CAT-M8793-CH8172
MQS, CONNECTOR HOUSING



TE Part #1456554-1
SSC 2x2 PLUG ASSY ALL OPEN
MASTER KEY

Documents

Product Drawings

8POS MQS TAB

English

CAD Files

Customer View Model

[ENG_CVM_CVM_284869-1_A1.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_284869-1_A1.3d_stp.zip](#)

English

Customer View Model

[ENG_CVM_CVM_284869-1_A1.3d_igs.zip](#)

English

3D PDF

3D

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

8 POSITIONS MICRO QUADLOK SYSTEM

English

Product Specification

English