

5556622-1 ✓ ACTIVE

CHAMP


TE Internal #: 5556622-1

64 Position D-Shaped Connector, Receptacle, Cable-to-Board,  
Board Mount, 2.16 mm [.085 in] Centerline, Printed Circuit Board,  
Signal

[View on TE.com >](#)



Connectors > D-Shaped Connectors > D-Sub Receptacle Assembly: Vertical, Action Pin, 2.16mm



Number of Positions: **64**

Connector & Housing Type: **Receptacle**

Connector System: **Cable-to-Board**

Connector Mounting Type: **Board Mount**

Centerline (Pitch): **2.16 mm [.085 in]**

[All D-Sub Receptacle Assembly: Vertical, Action Pin, 2.16mm \(10\)](#)

## Features

### Product Type Features

Connector & Housing Type	Receptacle
Connector System	Cable-to-Board
Connector & Contact Terminates To	Printed Circuit Board

### Configuration Features

Number of Positions	64
Number of Rows	2
PCB Mount Orientation	Vertical

### Body Features

Shield Plating Material	Nickel
Insert Material	Brass
Shield Material	Carbon Steel
Primary Product Color	Black
Connector Profile	Standard

### Contact Features

	30 $\mu$ m
Contact Mating Area Plating Material	Gold (Au)
Contact Base Material	Phosphor Bronze



PCB Contact Termination Area Plating Material	Tin
---	-----

Contact Options	Installed
-----------------	-----------

### Termination Features

Rectangular Termination Post & Tail Width	.48 mm[.019 in]
---	-----------------

Rectangular Termination Post & Tail Thickness	.66 mm[.026 in]
---	-----------------

Termination Method to PCB	Through Hole - Press-Fit
---------------------------	--------------------------

Termination Post & Tail Length	4.57 mm[.18 in]
--------------------------------	-----------------

### Mechanical Attachment

Connector Mounting Type	Board Mount
-------------------------	-------------

PCB Mount Retention	With
---------------------	------

PCB Mount Retention Type	Retention Leg
--------------------------	---------------

Mating Retention	With
------------------	------

Mating Retention Type	Screwlocks
-----------------------	------------

### Housing Features

Housing Material	Polyphenylene Oxide
------------------	---------------------

Centerline (Pitch)	2.16 mm[.085 in]
--------------------	------------------

### Dimensions

Row-to-Row Spacing	4.3 mm[.169 in]
--------------------	-----------------

### Usage Conditions

Operating Temperature Range	-40 – 105 °C[-40 – 221 °F]
-----------------------------	----------------------------

### Operation/Application

Shielded	Yes
----------	-----

Circuit Application	Signal
---------------------	--------

### Industry Standards

UL Flammability Rating	UL 94V-0
------------------------	----------

### Packaging Features

Packaging Quantity	20
--------------------	----

Packaging Method	Tray
------------------	------

### Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)




EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Compliant with Exemptions
China RoHS 2 Directive MIIT Order No 32, 2016	有害物质含量超出标准 Restricted Substance(s) Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JAN 2021 (211) SVHC > Threshold: Pb (3.7% in Component part) <b>Article Safe Usage Statements:</b> Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

## Compatible Parts



TE Part # 5552243-1  
ASSY, PLUG, 64 POS, VERT MTG

## Customers Also Bought



TE Part #553444-5  
PLUG ASSY, ACTION PIN, CHAMP-LOK



TE Part #2-1825910-7  
FSM14JH=6MM TACT SWITCH, HIGH TEMP



TE Part #3-1825910-1  
FSM16JH=6MM TACT SWITCH, HIGH TEMP

## Documents

### Product Drawings

[RCPT ASSY, 64POS, SHLD, ACTN PIN](#)

English

### CAD Files

[3D PDF](#)

English

Customer View Model

[ENG\\_CVM\\_5556622-1\\_O.2d\\_dxf.zip](#)

English

Customer View Model

[ENG\\_CVM\\_5556622-1\\_O.3d\\_igs.zip](#)

English

Customer View Model

[ENG\\_CVM\\_5556622-1\\_O.3d\\_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

### Product Specifications

[Application Specification](#)

English