




**MQS**

TE Internal #: 5-928999-1

Receptacle Terminal, 24 – 22 AWG, .25 – .35 mm<sup>2</sup> Wire, .63 mm [.025 in] Tab Width, Tin (Sn), .63 mm [.025 in] Tab Thickness, Unsealed

[View on TE.com >](#)

Automotive Parts > Automotive Terminals > MQS, RECEPTACLE AND TAB



Terminal Type: **Receptacle**

Wire Size: **24 – 22 AWG**

Mating Tab Width: **.63 mm [.025 in]**

Interface Plating: **Tin (Sn)**

[All MQS, RECEPTACLE AND TAB \(96\)](#)

**Features**

**Product Type Features**

Receptacle Style	180°
Primary Locking Feature	Locking Lance
Sealable	No

**Body Features**

Terminal Seal Type	Unsealed
--------------------	----------

**Contact Features**

Typical Current Rating	7.5 A
Crimp Type	F-Crimp
Contact Size	.63mm
Contact Fabrication	Stamped & Formed
Wire Contact Termination Area Plating Material	Tin
Terminal Type	Receptacle
Mating Tab Width	.63 mm [.025 in]
Interface Plating	Tin (Sn)



Mating Tab Thickness	.63 mm [.025 in]
----------------------	------------------

### Termination Features

Termination Method to Wire & Cable	Crimp
Product Terminates To	Wire

### Dimensions

Compatible Insulation Diameter Range	1.15 – 1.6 mm [.045 – .063 in]
Wire Size	24 – 22 AWG
Wire Size Search	.25 mm <sup>2</sup> , .3 mm <sup>2</sup> , 3.5 mm <sup>2</sup>
Tab Length	13.7 mm [.54 in]

### Usage Conditions

Insulation Option	Uninsulated
Operating Temperature (Max)	120 °C [248 °F]
Operating Temperature Range	-40 – 120 °C [-40 – 248 °F]

### Operation/Application

Compatible With Wire Base Material	Copper
Conforms to Automation Guideline	Yes, DIN 72036 Automation of Wiring Harness Production, Version June 2024, Yes, KOMAX Guideline for automatic component insertion for electrical connections, Version 5.0 (March 2018)

### Industry Standards

Compatible With Agency/Standards Products	LV214
---	-------

### Packaging Features

Packaging Method	Reel
Packaging Quantity	13000

### Other

Terminal Transmits	0 – 24 A (Low Power)
--------------------	----------------------

### Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	有害物质含量符合标准要求 No Restricted Substance(s) Above Threshold



EU REACH Regulation (EC) No. 1907/2006

Current ECHA Candidate List: JUNE 2025 (250)

Candidate List Declared Against: JUNE 2025 (250)

Does not contain REACH SVHC

Halogen Content

Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free


Solder Process Capability

Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

## Compatible Parts



TE Part # 2311369-4  
HRN MF SWITCH



TE Part # CAT-AC853-T273  
PRESS FIT PIN TERMINALS



TE Part # 2298622-1  
24POS, HYBRID, REC HSG ASSY,  
UNSLD, COD A



TE Part # 2298633-1  
60POS, HYBRID, REC HSG ASSY,  
UNSLD, COD A



TE Part # 2301238-1  
DTB PLUG HSG ASSY, 49POSN.,  
FAKRA TYPE



TE Part # 1718733-1  
LVDS, SHELL HALF 2 90DEG



TE Part # 2112856-1  
5POS MIXED MQS REC COD A



TE Part # 2151541-1  
OCEAN\_2.0\_APPLICATOR-S-  
050F072O-RSM



TE Part # 2141627-1  
4POS MIXED MQS REC



TE Part # 2322637-2  
12POS, MQS, REC HSG, UNSLD



TE Part # 1488973-3  
PLUG, 2X5, UNSEALED MQS, KEY KB GRAY



TE Part # 1-969489-3  
6POS MQS REC COD A



TE Part # 1718730-1  
10 POS MQS SOCKET HSG FOR LVDS



TE Part # 2294218-1  
4POS MQS REC COD A



TE Part # 2063041-1  
SDE MQS 0.25-0.5mm2 ASSY



TE Part # 2063041-2  
SDE MQS 0.25-0.5mm2 DIE SET



TE Part # 2151493-1  
OCEAN\_2.0\_APPLICATOR-S-055F072O-RSM



TE Part # 2322948-2  
6POS, MQS, REC HSG, UNSLD



TE Part # 2327621-5  
WH HEATER ELECTRICAL LHD MS



TE Part # 1355881-2  
MQS GRIFFSCHALE 6P

## Customers Also Bought



TE Part #826309-000  
ES2000-NO.1-C1-0-45MM



TE Part #2-953698-1  
3POS MQS TAB



TE Part #CAT-M8793-T273  
MQS, RECEPTACLE AND TAB




TE Part #1-969508-2  
6POS MQS REC COD A



TE Part #1-2292507-1  
CONNECTOR, TE, COVER 60 POSITION, ASSY



TE Part #2-2326911-0  
FAKRA AUT, SOC HSG, UNSLD, 180DEG, COD Z



TE Part #1-2119757-1  
DEPRESSOR, SHEAR



TE Part #2402264-3  
FAKRA AUT SOC HSG 180 DEG CODE C



## Documents

### CAD Files

Customer View Model

[ENG\\_CVM\\_CVM\\_5-928999-1\\_S.2d\\_dxf.zip](#)

English

[3D PDF](#)

3D

Customer View Model

[ENG\\_CVM\\_CVM\\_5-928999-1\\_S.3d\\_igs.zip](#)

English

Customer View Model

[ENG\\_CVM\\_CVM\\_5-928999-1\\_S.3d\\_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

### Product Specifications

[Application Specification](#)

English

[Application Specification](#)

German

[Application Specification](#)

English

[Application Specification](#)

English

### Agency Approvals

[CSA Certificate](#)

English