



HIVONEX

TE Internal #: YHVA280-3PXM-A-000

3 Position, Automotive Plug, Cable-to-Cable / Wire-to-Wire, 5.2 mm [.205 in] Centerline, Sealable, Orange, Wire & Cable, Power

[View on TE.com >](#)

Automotive Parts > Automotive Connectors > Automotive Housings



Connector & Housing Type: **Plug**

Number of Positions: **3**

Sealable: **Yes**

Operating Temperature Range: **-40 – 140 °C [-40 – 284 °F]**

Number of Rows: **1**

Features

Product Type Features

Mixed & Hybrid Connector	No
Connector Shape	Rectangular
Connector & Housing Type	Plug
Sealable	Yes
Primary Locking Feature	Integrated in Housing
Connector System	Cable-to-Cable, Wire-to-Wire
Connector & Contact Terminates To	Wire & Cable

Configuration Features

Number of Positions	3
Number of Rows	1

Electrical Characteristics

Operating Voltage	850 VDC
-------------------	---------

Body Features

Cable Exit Angle	180 °
Primary Product Color	Orange
Connector & Keying Code	A

Contact Features

Contact Size	2.8mm
--------------	-------

Contact Type	Receptacle
Mating Tab Width	2.8 mm[.11 in]

Mechanical Attachment

Strain Relief	With
Terminal Position Assurance	No
Mating Alignment Type	Keyed
Mating Alignment	With
Connector Mounting Type	Cable Mount (Free-Hanging)

Housing Features

Housing Material	PA 66 GF30
Centerline (Pitch)	5.2 mm[.205 in]

Dimensions

Product Width	27.6 mm[1.09 in]
Product Length	32.9 mm[1.29 in]
Connector Height	55.3 mm[2.18 in]

Usage Conditions

Operating Temperature Range	-40 – 140 °C[-40 – 284 °F]
Operating Temperature (Max)	140 °C[284 °F]

Operation/Application

Circuit Application	Power
---------------------	-------

Industry Standards

IP Rating	IP6K7, IP6K9K
UL Flammability Rating	UL 94HB

Packaging Features

Packaging Quantity	1
Packaging Method	Package

Other

Serviceable	Yes
Connector Position Assurance Capable	Yes

Product Compliance

For compliance documentation, visit the product page on [TE.com](https://www.te.com)>



EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	有害物质含量符合标准要求 No Restricted Substance(s) Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) SVHC > Threshold: Dodecamethylcyclohexasiloxane (D6) (.5% in M-16367-1) Octamethylcyclotetrasiloxane (D4) (.5% in 27520056319) Decamethylcyclopentasiloxane (D5) (.5% in 27520056319) Article Safe Usage Statements: Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Low Bromine/Chlorine - Br and Cl < 900 ppm per homogenous material. Also BFR /CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts





TE Part # YHVA280-3PXM-B-000
HVA280-3pxm XE,Key B



TE Part # 1587723-2
INNER FERRULE, SIZE B, HVA280-



TE Part # 2103321-1
3p Inner Hsg, Split Hdr, Key A, HVA280


Customers Also Bought



TE Part #HDP26-24-7SN-C038
PLG, 7P, BLK, N, 4AWG, 4/16, S



TE Part #YHV280-2PM-P-4MM-B
HVA280-2phtm,pass,4sqmm,Key B



TE Part #1-968853-3
AMP MCP 2.8, CONTACT




TE Part #1587828-3
INNER FERRULE, SIZE C, HVA280-2PI



TE Part #1587829-3
OUTER FERRULE, SIZE C, HVA280-2PI



TE Part #2-1630012-8
HSC150 22R 5%



TE Part #2176247-9
TJT 150W 22R 5%



TE Part #1587827-3
CABLE SEAL RETAINER, SIZE C,
HVA280-2PI



TE Part #1-2103177-1
PLUG ASSY, KEY A, TA, HVA280-2PHI
XE



TE Part #1-2103177-2
PLUG ASSY, KEY B, TA, HVA280-2PHI
XE

Documents

Product Drawings

[HVA280-3pxm XE,Key A](#)

English

CAD Files

[3D PDF](#)

[3D](#)

[Customer View Model](#)

[ENG_CVM_CVM_YHVA280-3PXM-A-000_A.2d_dxf.zip](#)



English

Customer View Model

[ENG_CVM_CVM_YHVA280-3PXM-A-000_A.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_YHVA280-3PXM-A-000_A.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[HIVONEX CONNECTORS & CHARGING SOLUTIONS](#)

English

[HEMS Sample Kit YHVA280-3pxm-A-000](#)

English

Product Specifications

[Application Specification](#)

English