

1934226-1 ✓ ACTIVE

Z-PACK | Z-PACK TinMan


TE Internal #: 1934226-1

72 Position High Speed Backplane Connector, 9 Row, 8 Column,
PCB Mount Receptacle, Right Angle, Unshrouded, 1.9 mm [.075 in]
Centerline, Z-PACK TinMan

[View on TE.com >](#)



Connectors > PCB Connectors > Backplane Connectors > High Speed Backplane Connectors



Number of Positions: 72

Row-to-Row Spacing: 1.4 mm [.055 in]

Mating Alignment: **With**

Mating Alignment Type: **Guide Slot**

Number of Rows: 9

Features

Product Type Features

Signal Arrangement	Differential
Connector & Contact Terminates To	Printed Circuit Board
Connector System	Board-to-Board
PCB Connector Type	PCB Mount Receptacle
Shroud Style	Unshrouded

Configuration Features

Number of Pairs	24
Number of Signal Positions	48
Backplane Architecture	Traditional Backplane
Stackable	No
Pairs per Column	3
Number of Positions	72
Number of Rows	9
Number of Columns	8



PCB Mount Orientation	Right Angle
Electrical Characteristics	
Operating Voltage	250 VAC
Impedance	100 Ω
Signal Characteristics	
Data Rate	10 Gb/s
Differential Impedance	100 Ω
Number of Differential Pairs per Column	3
Body Features	
Shield Material	Phosphor Bronze
Primary Product Color	Black
Contact Features	
PCB Contact Termination Area Plating Material Finish	Matte
PCB Contact Termination Area Plating Material Thickness	.5 μm [20 μin]
Contact Shape & Form	Dual Beam
Contact Mating Area Plating Material	Gold (Au)
Contact Base Material	Phosphor Bronze
PCB Contact Termination Area Plating Material	Tin
Contact Type	Receptacle
Contact Current Rating (Max)	.5 A
Termination Features	
Termination Method to PCB	Through Hole - Press-Fit
Termination Post & Tail Length	2.2 mm[.087 in]
Mechanical Attachment	
Guide Hardware	Without
PCB Mount Retention	With
Mating Retention	Without
PCB Mount Retention Type	Action/Compliant Tail
PCB Mount Alignment	Without
Mating Alignment	With
Mating Alignment Type	Guide Slot
Connector Mounting Type	Board Mount



Housing Features

Number of Shrouded Sides	0
End Wall Location	None
Housing Material	Liquid Crystal Polymer (LCP)
Centerline (Pitch)	1.9 mm [.075 in]

Dimensions

Connector Width	23.41 mm
PCB Thickness (Recommended)	1.57 mm [.062 in]
Connector Height	16 mm
PCB Hole Diameter	.47 mm
Connector Length	15.35 mm
Row-to-Row Spacing	1.4 mm [.055 in]

Usage Conditions

Operating Temperature Range	-65 – 90 °C [-85 – 194 °F]
-----------------------------	----------------------------

Operation/Application

Circuit Application	Signal
---------------------	--------

Industry Standards

Compatible With Agency/Standards Products	UL
UL Flammability Rating	UL 94V-0
Compatible With Approved Standards Products	UL E28476

Packaging Features

Packaging Method	Box & Tube, Tube
------------------	------------------

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	有害物质含量符合标准要求 No Restricted Substance(s) Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) Does not contain REACH SVHC




Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>


Compatible Parts




TE Part # 1934302-1
 Tin Man Header Assy 3x8 Double




TE Part # 1934359-1
 TinMan R/A Header Assy 3x8 Ope



TE Part # 1934299-1
 Tin man header Assy 3x8 open



TE Part # 2065915-1
 Tin man header Assy 3x8 seq



TE Part # 1934222-1
 Tin Man Recept Assy 4Pair8Column



TE Part # 1934360-1
 Tinman R/A Header Assy 3x8 Double




TE Part # 1934300-1
 Tin Man hader Assy 3x8 Left



TE Part # 1934301-1
 TinMan header Assy 3x8 Right

Also in the Series | Z-PACK TinMan



High Speed Backplane Connectors(67)

Customers Also Bought



TE Part #1934359-1
TinMan R/A Header Assy 3x8 Ope



TE Part #2057629-1
CFP Module Conn Assy



TE Part #2187724-1
SW PIR HDR BP, 92OHM, 4X4 OEW



TE Part #2204423-1
MULTI-BEAM HD VERTICAL REC. 2P



TE Part #1-2324271-2
LEFT SEGMENT LGA4189-4 SOCKET-P4 FOR ODM



TE Part #5-2364427-8
PCIE GEN5 CON,SMT,164P,30u",
MYLAR,HT




TE Part #5-2384030-3
PCIE5,SMT,1.9TAB+C-POS,98P,30",10
ML,HT



TE Part #5-2384030-8
PCIE5,SMT,1.9TAB+C-POS,164P,30",F-
ML,HT



TE Part #1717832-2
MINI PCI EXPRESS EMBOSS TAPE
LATCH



TE Part #2187690-1
SW PIR HDR BP, 92OHM, 6X6 OE

Documents

Product Drawings

[Tin man Recpt Assy3pair8 Colum](#)

English

CAD Files

Customer View Model

[ENG_CVM_CVM_1934226-1_B.2d_dxf.zip](#)

English

[3D PDF](#)

3D

Customer View Model

[ENG_CVM_CVM_1934226-1_B.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_1934226-1_B.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.



Datasheets & Catalog Pages

[High Speed Backplane Connectors catalog - Z-PACK TinMan High Speed, High Density Backplane Connector](#)

English

[Z-PACK TinMan High Speed High Density Backplane Connector Catalog 5-1773447-9](#)

English

[Solutions for AdvancedTCA, AdvancedTCA 300, MicroTCA, and AdvancedMC Standards Datasheet 3-1773445-8](#)

English

Product Specifications

[Application Specification](#)

English