




Connectors > Connector Accessories > Connector Seals & Cavity Plugs



Connector Seal & Plug Type: **Sealing Plug**

Operating Temperature Range: **-65 – 125 °C [-85 – 257 °F]**

Primary Product Color: **Red**

Primary Product Material: **Silicone Rubber**

Operating Temperature (Max): **125 °C [257 °F]**

### Features

#### Product Type Features

Connector Seal & Plug Type	Sealing Plug
----------------------------	--------------

#### Body Features

Primary Product Color	Red
Primary Product Material	Silicone Rubber

#### Contact Features

Compatible With Contact Size	5
------------------------------	---

#### Usage Conditions

Operating Temperature Range	-65 – 125 °C[-85 – 257 °F]
Operating Temperature (Max)	125 °C[257 °F]

#### Packaging Features

Packaging Method	Package
------------------	---------

### Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	有害物质含量符合标准要求 No Restricted Substance(s) Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250)

Candidate List Declared Against: JAN 2024  
(240)

Does not contain REACH SVHC

Halogen Content

Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>


## Customers Also Bought



TE Part #E67401-000  
MP-445445-2-8A



TE Part #ZPF00000000017898  
FAST-E 08 M-X-A 00 A



TE Part #CTS-S20-20  
CONT SOC ASSY




TE Part #38941-20L  
CONT PIN



TE Part #226335-000  
CTA-0166



TE Part #D369-P33-NP1  
369 3 WAY PLUG, CRIMP, PIN



TE Part #225791-2  
COAXIAL RF SOCKET, SZ 5



TE Part #328307  
SPARE WIRE CAP, RED 22-18 AWG



## Documents

### Product Drawings

[SEALING PLUG,COAX,ARINC](#)

English

### CAD Files

Customer View Model

[ENG\\_CVM\\_205975-1\\_A.3d\\_igs.zip](#)

English

Customer View Model

[ENG\\_CVM\\_205975-1\\_A.3d\\_stp.zip](#)

English

Customer View Model

[ENG\\_CVM\\_205975-1\\_A.2d\\_dxf.zip](#)

English

### 3D PDF

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

### Datasheets & Catalog Pages

[ARINC 600 Next Generation Receptacle Connector](#)

English

### Instruction Sheets

[Instruction Sheet \(U.S.\)](#)

English

[AMP RM AND RME SERIES CONNECTORS WITH SIZE 5 AND 9 COAXIAL CONTACTS](#)

English