




Connectors > Connector Accessories > Connector Caps & Covers



Connector Cover Type: **Sealing Cap**

Primary Product Color: **Black**

Primary Product Material: **Thermoplastic**

Operating Temperature (Max): **105 °C [221 °F]**

Operating Temperature Range: **-55 – 105 °C [-67 – 221 °F]**

Features

Product Type Features

Connector Cover Type	Sealing Cap
----------------------	-------------

Body Features

Seal Material	Elastomer
Primary Product Color	Black
Primary Product Material	Thermoplastic

Mechanical Attachment

Component Retention Feature	Metal Bead Chain
-----------------------------	------------------

Housing Features

Compatible With Connector Shape	Circular
---------------------------------	----------

Usage Conditions

Operating Temperature (Max)	105 °C[221 °F]
Operating Temperature Range	-55 – 105 °C[-67 – 221 °F]

Operation/Application

Compatible With Connector Shell Size	23
--------------------------------------	----



Industry Standards

UL Flammability Rating	UL 94V-1
------------------------	----------

Packaging Features

Packaging Method	Bag
Packaging Quantity	100

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	有害物质含量符合标准要求 No Restricted Substance(s) Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) SVHC > Threshold: Triphenyl phosphate (TPP) (1% in 4995546) Article Safe Usage Statements: Wash thoroughly after handling. Do not handle until all safety precautions have been read and understood. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts




TE Part # 213851-1
CPC PLUG ASSEMBLY SIZE 23-24



TE Part # 206136-1
CPC PLUG ASSEMBLY SIZE 23-7



TE Part # 796291-1
SEALED CPC,SER1,23-24,FR RCPT



TE Part # 796288-1
PLUG.ASSY,23-37STD SEX THRD AD



TE Part # 206226-1
CPC PLUG ASSEMBLY SIZE 23-7



TE Part # 211770-2
CPC PLUG ASSEMBLY SIZE 23-19



TE Part # 213853-1
CPC PLUG ASSEMBLY SIZE 23-19



TE Part # 796188-1
SLD CPC PLUG ASSY,23-24,STD SX



TE Part # 207485-1
CPC PLUG ASSEMBLY SIZE 23-16



TE Part # 206305-1
CPC PLUG ASSEMBLY SIZE 23-37



TE Part # 211824-1
CPC PLUG ASSEMBLY 23-13



TE Part # 1977887-1
PLUG.ASSY,23-37STD SEX THRD AD,
UV RESIS



TE Part # 1977886-1
RCPT.ASSY,23-37STD SEX FREE HG,
UV RESIS



TE Part # 211772-1
CPC PLUG ASSEMBLY SIZE 23-19



TE Part # 213852-1
CPC PLUG ASSEMBLY SIZE 23-19



TE Part # 796287-1
RCPT.ASSY,23-37STD SEX FREE HG



TE Part # 796190-1
SLD CPC RCPT ASSY,23-24,STD SX



TE Part # 213848-1
CPC PLUG ASSEMBLY SIZE 23-37



TE Part # 206837-1
CPC PLUG ASSEMBLY SIZE 23-24



TE Part # 206150-1
CPC PLUG ASSEMBLY SIZE 23-37

Also in the Series | [AMP Circular Plastic Connectors](#)



Circular Power Connectors(423)



Connector Backshells(1)



Connector Caps & Covers(16)



Connector Contacts(6)



Connector Seals & Cavity Plugs(35)



Connector Strain Relief(60)




Insertion & Extraction Tools(1)

Customers Also Bought



TE Part #DT3S-BT-BK
BOOT, 3P, PLG, ST, BLK



TE Part #60824-1
.058 DIA PIN PC PTPPHBZ



TE Part #206137-5
23-7 RECEPT STD SEX



TE Part #206613-3
RECEPT SZ 23,CPC



TE Part #2-1393250-3
W28-XQ1A-1=W28-



TE Part #1445048-2
PANEL MT SNGL ROW HSG 2 POS



TE Part #1445048-4
PANEL MT SNGL ROW HSG 4 POS



TE Part #W4SA
WEDGE LOCK, 4P, PLG, GRY, STD, DT, A



TE Part #208130-1
CPC RECPT ASSEMBLY SIZE 11-4



TE Part #1337711-1
7.54MM CSA BRAID M5 - M5 100MM

Documents



Product Drawings

[SEALING CAP ASSY,SZ 23,CPC](#)

English

CAD Files

Customer View Model

[ENG_CVM_CVM_208680-1_H.2d_dxf.zip](#)

English

3D PDF

3D

Customer View Model

[ENG_CVM_CVM_208680-1_H.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_208680-1_H.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[AMP Circular Connectors for Commercial Signal & Power Applications Continued](#)

English

[Datasheet - CPC Protective Caps](#)

English

[Accessories for Circular plastic connectors](#)

English

[Circular Plastic Connectors Standard Cable Assemblies](#)

English

[circular-plastic-connectors-catalog](#)

English

Instruction Sheets

[Instruction Sheet \(U.S.\)](#)

English

Agency Approvals

[CSA Certificate](#)

English

[CSA Certificate](#)

English