




Automotive Parts > Automotive Terminals



Terminal Type: **Receptacle**

Wire Size: **9 – 7 AWG**

Mating Tab Width: **8 mm [.31 in]**

Interface Plating: **Tin Silver (SnAg)**

Features

Product Type Features

Primary Locking Feature	Clean Body
Sealable	No

Contact Features

Typical Current Rating	43 A
Crimp Type	F-Crimp
Contact Size	8mm
Contact Fabrication	Stamped & Formed
Terminal Type	Receptacle
Mating Tab Width	8 mm [.31 in]
Interface Plating	Tin Silver (SnAg)
Mating Tab Thickness	.8 mm [.03 in]

Termination Features

Termination Method to Wire & Cable	Crimp
Product Terminates To	Wire

Dimensions

Compatible Insulation Diameter Range	4.9 – 6 mm [.193 – .236 in]
Wire Size	9 – 7 AWG
Wire Size Search	7 mm ² , 8 mm ² , 10 mm ²
Tab Length	30 mm [1.18 in]



Usage Conditions

Insulation Option	Uninsulated
Operating Temperature (Max)	125 °C[212 °F]
Operating Temperature Range	-40 – 125 °C[-40 – 257 °F]

Operation/Application

Compatible With Wire Base Material	Copper
------------------------------------	--------

Packaging Features

Packaging Method	Reel
Packaging Quantity	900

Other

Terminal Transmits	41 – 100 A (High Power)
--------------------	-------------------------

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	有害物质含量符合标准要求 No Restricted Substance(s) Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts




TE Part # 2837302-2
OCEAN_2.0_APPLICATOR-S-217F272OVA-SSA




KIT
REPRESENTATION ONLY

TE Part # 7-2837302-7
OCEAN_2.0_SPARE_PART_KIT-217F272OV

Also in the Series | NG1



Automotive Housings(45)




Automotive Seals & Cavity Plugs(11)




Automotive Signal & Power Connector Housings(45)

Also in the Series | NG Power Terminals and Connectors



Automotive Connector Caps & Covers (1)




Automotive Housings(45)




Automotive Seals & Cavity Plugs(11)



Automotive Signal & Power Connector Housings(45)



Automotive Terminals(24)



Other Automotive Connector Accessories(1)

Customers Also Bought



TE Part #CAT-M8793-CH8172
MQS, CONNECTOR HOUSING



TE Part #CAT-T319-CH8172
TH/.025 CONNECTOR SYSTEM,
HOUSING



TE Part #CAT-N13-MSLRTT12
MCON 1.2 Locking Lance Receptacle
and Tab Terminals



TE Part #1544965-1
8MM NG1+ TERMINAL



TE Part #1-1718562-1
REC. HSG.,4POSN.,RAD.SEAL,AMP
MCP2.8K



TE Part #2375324-4
TIMING BELT, LOWER, XB19

Documents

Product Drawings

CLIPS 8 MM G3 MAXI

English

CAD Files

Customer View Model

[ENG_CVM_1544106-1_F.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_1544106-1_F.3d_stp.zip](#)

English

Customer View Model

[ENG_CVM_1544106-1_F.2d_dxf.zip](#)

English

3D PDF

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

Application Specification

German