

178025-1 ✓ ACTIVE

FASTIN-FASTON | FASTIN-FASTON 250


TE Internal #: 178025-1

Tab Terminal Housing, 6 Position, 9 mm [.354 in] Centerline,  
Straight, Natural, Nylon, Cable Mount (Free-Hanging), FASTIN-  
FASTON 250

[View on TE.com >](#)



Terminals & Splices > Terminal Housings, Insulation Sleeves & Blocks > Crimp Terminal Housings



Terminal Type: **Tab**

Connector & Housing Type: **Tab Housing**

Number of Positions: **6**

Terminal Orientation: **Straight**

Primary Product Color: **Natural**

## Features

### Product Type Features

Connector & Contact Terminates To	Wire & Cable
Sealable	No
Connector & Housing Type	Tab Housing

### Configuration Features

Number of Positions	6
---------------------	---

### Body Features

Primary Product Color	Natural
-----------------------	---------

### Contact Features

Terminal Type	Tab
Terminal Orientation	Straight
Contact Mating Retention	With

### Mechanical Attachment

Mating Retention Type	Interlock
-----------------------	-----------



Mating Alignment	With
Connector Mounting Type	Cable Mount (Free-Hanging)

### Housing Features

Housing Material	Nylon
Centerline (Pitch)	9 mm [.354 in]

### Dimensions

Product Length	28.5 mm [1.122 in]
----------------	--------------------

### Usage Conditions

Operating Temperature Range	-40 – 120 °C [-40 – 248 °F]
-----------------------------	-----------------------------

### Packaging Features

Packaging Quantity	100
--------------------	-----

## Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	有害物质含量符合标准要求 No Restricted Substance(s) Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>



## Compatible Parts



TE Part # 170340-3  
FF 250 TAB 20-14AWG PTBR  
WITHOUT LATCH



TE Part # 170349-1  
FF 250 TAB 22-20AWG BR WITHOUT  
LATCH



TE Part # 170341-1  
FF 250 TAB 14-12AWG BR WITHOUT  
LATCH



TE Part # 178001-1  
250 DBL LOCK CAP IKEI 3P NAT



TE Part # 176992-1  
250 DBL LOCK CAP IKEI 2P NAT



TE Part # 170349-2  
FF 250 TAB 22-20AWG TPBR  
WITHOUT LATCH



TE Part # 170341-4  
FF 250 TAB 14-12AWG PTBR  
WITHOUT LATCH



TE Part # 170340-1  
FF 250 TAB 20-14AWG BR WITHOUT  
LATCH



TE Part # 170341-3  
FF 250 TAB 14-12AWG PTBR  
WITHOUT LATCH

## Also in the Series | FASTIN-FASTON 250



Crimp Terminal Housings(192)



Insertion & Extraction Tools(2)



Quick Disconnects(216)

## Customers Also Bought



TE Part #178449-6  
EJ-2 DBL LOCK PLUG 2P ASSY D



TE Part #316836-1  
040-3 REC CONT. S



TE Part #1393365-1  
V23540X7000Y20GET-FEM TERM AU



TE Part #1612121-5  
SQUIB 2POS PLUG HSG



TE Part #1674919-1  
0.64 III/1.0 III 31POS PLUG ASSY



TE Part #1717394-1  
0.64 SMD 24P CAP ASSY V-TYPE



TE Part #2040105-1  
0.50/1.0/2.8 SEALED PLUG ASSY  
114POS



TE Part #2040113-1  
0.50/1.0/2.8 SEALED LEVER 114POS



TE Part #2040115-1  
0.50/1.0/2.8 SEALED PLUG ASSY  
72POS



TE Part #2040116-1  
0.50/1.0/2.8 SEALED WIRE COVER  
ASSY 72P

## Documents

### Product Drawings

[FF 250 CAP HSG DBL 6P NAT](#)

English

### CAD Files

[3D PDF](#)

3D

Customer View Model

[ENG\\_CVM\\_CVM\\_178025-1\\_A.2d\\_dxf.zip](#)

English

Customer View Model

[ENG\\_CVM\\_CVM\\_178025-1\\_A.3d\\_igs.zip](#)

English

Customer View Model

[ENG\\_CVM\\_CVM\\_178025-1\\_A.3d\\_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

### Datasheets & Catalog Pages



### White Paper: Nylon Discoloration

English

---

### Product Specifications

#### Application Specification

English